



# **The New Hampshire Comprehensive Health Care Information System (NH CHIS) Limited Use Data Dictionary**

*Version 5*

*March 2024*

Prepared for the  
New Hampshire Department of Health and Human Services  
Maintained by Milliman

## INTRODUCTION

The New Hampshire Comprehensive Health Care Information System (CHIS) was created by New Hampshire State statute to make health care data “available as a resource for insurers, employers, providers, purchasers of health care, and state agencies to continuously review health care utilization, expenditures, and performance in New Hampshire and to enhance the ability of New Hampshire consumers and employers to make informed and cost-effective health care choices.” The New Hampshire Insurance Department (NHID) and the NH Department of Health and Human Services (NH DHHS) jointly lead the project, which includes legislative provisions mandating that health insurance carriers submit their encrypted health care claims to the state. The NH DHHS’s Office of Medicaid Business and Policy, after a competitive bid process, contracted with Milliman, Inc. in May of 2012 to maintain the CHIS. This data dictionary documents the Limited Use tables created from the data submitted to Milliman on behalf of NH CHIS.

## UNDERSTANDING THE TYPES OF AVAILABLE DATA

New Hampshire’s data are collected using the NHpreprocessor; an application developed by Milliman to perform initial data quality checks and automatically de-identify (hash) claims and enrollment data. Data are aggregated using Milliman’s MedInsight enterprise data warehouse and software. MedInsight is an established integrated data warehousing and reporting tool specifically designed for health care analytics. Data from the MedInsight data warehouse are used to populate pre-defined data tables for the NH CHIS. These tables are organized as a relational data warehouse consisting of three primary types of data sets: **core** data sets, **supporting** data sets, and **reference** data sets. Separately, each provides a discrete path into the data; combined, they offer a comprehensive roadmap to understanding how healthcare is being used:

- **Core** data sets represent the bulk of the claims and eligibility information submitted by data reporters. Core sets include data originally submitted and are supplemented with a range of enhanced and value-added fields to aid in the use of the data. Examples of core data sets include: medical claims, pharmacy claims, medical membership, and pharmacy membership.
- **Supporting** data sets contain primarily redundant information submitted in the original files and extracted to single occurrences for efficiency in storage and performance. Examples of supporting data sets include member detail, pharmacy detail, and provider detail.
- **Reference** data sets are primarily look-up files containing all valid codes and their associated labels. Reference sets also may include elements that allow the summarizing of core data at a higher level. For example, the geography codes reference data set is ZIP-code based with one record for each ZIP code; it also includes the county associated with that ZIP code. Linking the medical claims data set to the geography codes reference data set on the ZIP code field allows the user to summarize data by county. Reference data sets include data for nonstandard code values used by individual data reporters; these often are referred

to as local or homegrown codes. Users are encouraged to carefully review the contents of a reference file to determine if additional codes should be included in their specifications. Reference tables are named with the prefix REF to help identify these tables.

## UNDERSTANDING HOW THIS DICTIONARY WORKS

This dictionary provides a list of available data elements – some as originally submitted, others created as keys for the dimension tables, or enhanced by Milliman. Elements are listed by table and provide technical specifications and background information, including inter-element mapping so users can plot the most efficient path to the data they need.

### Table Information

The table list displays each of the available tables. The information is displayed in 3 columns:

- **TABLE NAME:** The table name used in the data tables.
- **TABLE COMMON NAME:** A brief descriptive name for the table.
- **TABLE DESCRIPTIVE TEXT:** A brief description of the contents of the table.

| TABLE NAME    | TABLE COMMON NAME | TABLE DESCRIPTIVE TEXT  |
|---------------|-------------------|---|
| MEMBER_DETAIL | MEMBERS           | The member's reference data set links to the medical claims, medical membership, pharmacy claims, and pharmacy membership data sets to supply the unique member number. |

### Table Contents

The data element information is presented in 6 columns:

- **TABLE NAME:** The table in which the data element is populated. For the CLAIM\_MC\_YYYY, and CLAIM\_PC\_YYYY tables, check boxes were added to indicate which elements were relevant to Medical, and Pharmacy claims.
- **DATA ELEMENT COMMON NAME:** A brief descriptive title for the element or field.
- **DATA ELEMENT NUMBER/IDENTIFIER:** The column identifier from the NH Data Submission Manual that is used to create the text extract in the proper order.

- **DATA ELEMENT NAME:** The element name used in New Hampshire’s database.
- **FIELD POSITION:** The position of each data element in the corresponding table.
- **TYPE (Max Length):** This column displays the data type for each element and the maximum length of each field.
  - There are 3 data types (DATE, VARCHAR (alphanumeric) and NUMERIC (numbers only)).
  - The maximum length of each DATE element is 8 unless otherwise specified. The maximum length of each VARCHAR or NUMERIC element is given in parentheses following the type designation. Note that all NUMERIC elements also include an (x,y) notation, indicating a maximum of *x* total digits inclusive of *y* possible digits to the right of a decimal point. For example, a (5,2)-length element embraces values such as 99999, 999.99, and 0.01.
- **DESCRIPTION:** A brief explanation of the contents contained in each element. The description also may indicate an element’s relationship to other elements, particularly when reference data sets are involved. In many cases, this column also includes a list of all valid codes for the field. Note that many of these data sets include two codes that are necessary for the referential integrity of the warehouse: -1 (payer supplied no value) and -2 (payer supplied an incorrect or invalid value).

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy<br><input checked="" type="checkbox"/> CLAIM_DC_yyyy | Coverage Class           | MC899, PC899, DC899             | COVERAGE_CLASS    | 1              | VARCHAR (3)       | This field indicated the type of record. For all medical claims records, this value will be MED. Pharmacy Claims are PHM. Dental Claims are DEN. |

#### Additional Notes

A few additional notes about using the data described in this dictionary:

- **Table Order:** Data sets are listed in alphabetical order by common name. (Note that the order of data elements in the tables below does not necessarily reflect their order in the released data sets.) In addition to data fields, reference tables are also listed in the Table Contents section.

- **Common Use Flags:** Use flags are being created to simplify the filtering and analysis. It is the policy of Milliman to include all submitted data, which may include warehouse records that may not be desired for common analyses. Specifications for these use flags are still under review. Users are encouraged to review the distribution of data by the various Use Flags for each of the claims and membership data sets before incorporating these flags into their analysis.

### **AN IMPORTANT NOTICE ABOUT USING CLAIMS DATA**

While every effort is made to ensure the utility of New Hampshire's data, it is critical to understand that there are inherent challenges to working with claims data. While carve-out and use flags have been employed to enhance data reliability, extensive caution still must be used when linking between claims and membership records in the medical and pharmacy files to avoid duplicate counts and overlaps. The claims data is segmented using the Milliman Health Cost Guidelines, which categorizes for hospital, surgical, medical and other services. If you need assistance in understanding how to interpret and use your data set, please contact Milliman or NH CHIS to inquire about training and consulting services.

## LIMITED USE DATA DICTIONARY

### TABLE INFORMATION

| Table Name          | Table Common Name      | Table Description  |
|---------------------|------------------------|--|
| CLAIM_YYYY          | MEDICAL CLAIMS         | <p>The medical claims data set contains one record for each service that was rendered and is organized by service year. All adjustments to the claims have been applied to the data. Note that the YYYY in the data set's name will reflect the year of service. For medical claims industry standard coding definitions, please refer to the following websites:</p> <ul style="list-style-type: none"> <li>For Level I HCPCS (CPT) codes, see: <a href="http://www.ama-assn.org/ama/pub/physicianresources/solutions-managing-your-practice/coding-billing-insurance/cpt/about-cpt.page">http://www.ama-assn.org/ama/pub/physicianresources/solutions-managing-your-practice/coding-billing-insurance/cpt/about-cpt.page</a></li> <li>For Level II HCPCS (non-CPT) codes, see: <a href="http://www.cms.hhs.gov/MedHCPCSGenInfo/">http://www.cms.hhs.gov/MedHCPCSGenInfo/</a></li> <li>For ICD-CM codes, see: <a href="http://www.cdc.gov/nchs/icd.htm">http://www.cdc.gov/nchs/icd.htm</a></li> <li>For Revenue codes, see: <a href="http://www.nubc.org/">http://www.nubc.org/</a></li> </ul>                                       |
| CLAIM_YYYY          | DENTAL CLAIMS          | <p>The dental claims data set contains one record for each service that was rendered and is organized by service year. All adjustments to the claims have been applied to the data. This data set links to the following data sets: date, dental provider detail, gender, geography, members, payers, product, and relationship. Note that the YYYY in the data set's name will reflect the year of service.</p>   |
| CLAIM_YYYY          | PHARMACY CLAIMS        | <p>The pharmacy claims data set contains one record for each filled script and is organized by service year. All adjustments to the claims have been applied to the data. Note that the YYYY in the data set's name will reflect the year in which the script was filled.</p>  |
| FINALCLAIM_XXX_YYYY | FINAL STATUS OF CLAIMS | <p>The medical final claims data set (MEDICAL_FINAL_CLAIM_DETAILS_YYYY) contains the final status of each claim for each service that was rendered and is organized by service year.</p> <p>PLEASE USE THIS DATA WITH CAUTION: The data in this table reflect the final status of the claim only (after all adjustments). For healthcare processors that submit the final status in their claim suffix with the highest number, these claims may or may not tie to other claim tables (these values can be reinstatements, or could reflect the most recent status of the claim). Note that the YYYY in the data set's name will reflect the year of service. For medical claims industry standard coding definitions, please refer to the following websites:</p> <ul style="list-style-type: none"> <li>For Level I HCPCS (CPT) codes, see: <a href="http://www.ama-assn.org/ama/pub/physicianresources/solutions-managing-your-practice/coding-billing-insurance/cpt/about-cpt.page">http://www.ama-assn.org/ama/pub/physicianresources/solutions-managing-your-practice/coding-billing-insurance/cpt/about-cpt.page</a></li> </ul> |

| Table Name                           | Table Common Name                          | Table Description   |
|--------------------------------------|--|---|
|                                      |  | <ul style="list-style-type: none"> <li>For Level II HCPCS (non-CPT) codes, see: <a href="http://www.cms.hhs.gov/MedHCPCSGenInfo/">http://www.cms.hhs.gov/MedHCPCSGenInfo/</a></li> <li>For ICD-CM codes, see: <a href="http://www.cdc.gov/nchs/icd.htm">http://www.cdc.gov/nchs/icd.htm</a></li> <li>For Revenue codes, see: <a href="http://www.nubc.org/">http://www.nubc.org/</a></li> </ul> |
| MEMBER_DETAIL                        | MEMBERS                                    | The member's reference data set links to medical claims, medical membership, pharmacy claims, and pharmacy membership data sets to supply the unique member number.   |
| MEMBERSHIP_yyyy                      | MEMBERSHIP                                 | The membership data set contains one record for each month of medical and/or pharmacy coverage for an individual. Note that the yyyy in the data set's name will reflect the year of service.   |
| PROVIDER_DETAIL                      | PROVIDER DETAIL                            | The provider detail reference data set provides detailed service provider information, including unique records by payer and provider information.  |
| REF_ADM_SRC                          | ADMISSION SOURCE CODES                     | The admission source codes reference data set includes all valid admission source values and descriptions and links to the medical claims data set.   |
| REF_ADM_TYPE                         | ADMISSION TYPE CODES                       | The admission type codes reference data set includes all valid admission type values and descriptions and links to the medical claims data sets.  |
| REF_CCHG                             | CCHG CODES                                 | This is the reference table for the Chronic Condition Hierarchical Groups (CCHGs). These are codes based on a Milliman methodology for assigning patients into clinical categories.   |
| REF_CLAIM_INSURANCE_TYPE             | INSURANCE TYPE/PRODUCT CODE – CLAIMS FILES | Table 5 – Insurance Type/Product Code – Claims Files (MC003, PC003)   |
| REF_CLAIM_PROCESSING_LEVEL_INDICATOR | CLAIM PROCESSING LEVEL                     | Indicates either 1) Claim Level or 2) Service Line Level (MC218, PC214, DC218)  |
| REF_CLAIM_STATUS                     | CLAIM STATUS                               | Table 9 – Claim Status (MC038, PC025, DC031)  |
| REF_COVERAGETYPE                     | COVERAGE TYPE CODES                        | The coverage type codes reference data set includes all valid type of coverage values and links to the medical membership, and pharmacy membership data sets.   |
| REF_CPT                              | CPT CODES                                  | The CPT codes reference data set includes all valid Current Procedural Terminology (CPT) and Healthcare Common Procedure Coding System (HCPCS) values and   |

| Table Name                     | Table Common Name              | Table Description  |
|--------------------------------|--------------------------------|--|
|                                |                                | descriptions and links to the medical claims data sets. This data set also holds any local payer-defined codes.  |
| REF_CPT_MOD                    | CPT MODIFIER CODES             | The CPT modifier codes reference data set includes all valid CPT modifier codes and links to the medical claims data sets.   |
| REF_DATE                       | DATE CODES                     | The date codes reference data set includes all valid date ID codes and covers dates with values of 10/10/0220 through 12/31/2020. It links to data sets containing a date ID field.  |
| REF_DENTAL_QUADRANT            | DENTAL QUADRANT                | Standard Dental Quadrant identifier.   |
| REF_DIS_STAT                   | DISCHARGE STATUS CODES         | The discharge status codes reference data set includes all valid patient discharge values and descriptions and links to the medical claims data sets.  |
| REF_DRG                        | DRG LABELS                     | The DRG labels data set includes all DRG label descriptions as defined by 3MTM grouper software and links to the DRG Codes data set.   |
| REF_ELIGIBILITY_INSURANCE_TYPE | PRODUCT CODES                  | The insurance type reference data set includes all valid insurance type/product codes and descriptive demographic information and links to data sets containing an Insurance_Type field.   |
| REF_FORM_TYPE                  | CLAIM TYPE CODES               | The form type codes reference data set includes all valid claim type values and descriptions and links to the medical claims data sets.  |
| REF_GEOGRAPHY                  | GEOGRAPHY CODES                | The geography codes reference data set holds all valid ZIP code values and descriptions and links to the following data sets: medical claims, medical membership, payers, pharmacy, pharmacy claims, pharmacy membership, and provider detail. |
| REF_GROUP                      | INSURED GROUP OR POLICY NUMBER | Includes the original Group ID and an encrypted version (ME006, ME032).  |
| REF_HCG                        | MILLIMAN HCG LABELS            | The HCG reference table includes all HCG descriptions and roll-ups as defined by the Milliman HCG grouper software and links to the medical claims on MR_LINE_CODE.  |
| REF_ICD_DIAG                   | DIAGNOSIS CODES                | The diagnosis codes reference data set includes only local, payer-defined diagnosis code values and descriptions and links to the medical claims data sets. Any invalid status codes are marked unknown.                                       |

| Table Name                | Table Common Name                 | Table Description  |
|---------------------------|-----------------------------------|--|
| REF_ICD_PROC              | ICD PROC CODES                    | The ICD procedure code reference table includes all submitted procedure codes and their related reference description.   |
| REF_MARKETCAT             | MARKET CATEGORY                   | The market category reference table includes all submitted market category codes and their reference description   |
| REF_NDC_THERAPEUTIC_CLASS | NDC THERAPEUTIC CLASS             | The National Drug Code Therapeutic Class table is a grouping of drugs with the same therapeutic properties as defined by Medi-Span.  |
| REF_PAYER                 | PAYERS                            | The payer's reference data set includes all payer demographic information and links to data sets containing a PAYERID field.   |
| REF_POS                   | SERVICE SITE CODES                | The place of services site codes reference data set includes all valid site of service (facility) values and descriptions and links to the dental claims and medical claims data sets.   |
| REF_PROC_CODE_DENTAL      | CDT CODES                         | The CDT codes reference data set includes all valid Current Dental Terminology (CDT) values and descriptions and links to the dental claims data sets. This data set also holds all local payer-defined diagnosis codes. Note that the CDT_DIM file will be populated only when local codes are submitted. |
| REF_PROV_SPEC             | PROVIDER SPECIALTY CODES          | The provider specialty codes reference data set includes all payer-specific specialty codes and links to the payers and provider detail data sets.   |
| REF_PROV_TAXONOMY         | PROVIDER SPECIALTY TAXONOMY       | National Uniform Claims Committee (NUCC) health care provider taxonomy code assigned to this provider (MP010)  |
| REF_RELATION              | RELATIONSHIP TO SUBSCRIBER CODES  | The relationship to subscriber codes reference data set includes all valid member relationship to subscriber codes and descriptions and links to data sets containing a REL field.   |
| REF_REV_CODE              | REVENUE CODES                     | The revenue codes reference data set includes all valid revenue codes and links to the medical claims data sets.   |
| REF_RX_DAW                | DISPENSE AS WRITTEN CODES         | The dispense as written (DAW) codes reference data set includes all valid DAW code values and descriptions and links to the pharmacy claims data sets.   |
| REF_SV_STAT               | CLAIM STATUS – STANDARDIZED CODES | The claim status codes reference data set includes standardized claim status code values and descriptions and links to the medical claims and pharmacy claims data sets.   |

| Table Name       | Table Common Name    | Table Description  |
|------------------|----------------------|--|
| REF_TIER         | COVERAGE LEVEL CODES | The coverage level codes reference data set includes all valid coverage level values and links to the medical membership, and pharmacy membership data sets. |
| REF_UB_BILL_TYPE | BILL TYPE CODES      | The bill type codes reference data set includes all valid bill type values and descriptions and links to the medical claims data sets.                       |

## TABLE CONTENTS

### CLAIMS

| TABLE NAME  | DATA ELEMENT COMMON NAME              | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Coverage Class                        | MC899, PC899, DC899             | COVERAGE_CLASS    | 1              | VARCHAR (3)       | This field indicated the type of record. For all medical claims records, this value will be MED. Pharmacy Claims are PHM. Dental Claims are DEN. The field is sourced directly from MC899, PC899 and DC899.                           |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Date of Service (From) Year and Month | MC059, PC032, DC035             | FROM_YEARMO       | 2              | VARCHAR (6)       | This field contains the first year and month of service for this service line. This DATE field will be presented in a CCYYMM format.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Date of Service (From) Year           | MC059, PC032, DC035             | FROM_YEAR         | 3              | VARCHAR (4)       | This field contains the date of service of claims in a CCYY format. Its source is the Date of Service from element MC059 in the medical claims, PC032 in Pharmacy, and DC035 in Dental.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Date of Service (From)                | MC059, PC032, DC035             | FROM_DATE         | 4              | VARCHAR (8)       | This field contains the first date of service for this service line. This field links to the date reference file using the DATE_DAY element. In text formatted extracts only, this DATE field will be presented in a CCYYMMDD format. |

| TABLE NAME  | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------|---------------------------------|---------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Date of Service (Through) | MC060, DC036                    | TO_DATE             | 5              | VARCHAR (8)       | This field contains the last date of service for this service line. This field links to the date reference file using the DATE_DAY element. This DATE field will be presented in a CCYYMMDD format.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Paid Year and Month       | MC017, PC017, DC017             | PAID_YEAR_AND_MONTH | 6              | VARCHAR (6)       | Multiple paid dates may occur for the same claim as part of the adjudication process. The Medical Detail file contains a record for each payment and adjudications record submitted by the payer. Its source is MC017 for Medical, PC017 for Pharmacy, and DC017 for Dental. This DATE field is presented as the Year and Month that payment transaction occurred and will be presented in a CCYYMM format. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Paid Year (Calculated)    | MC017, PC017, DC017             | PAID_YEAR           | 7              | VARCHAR (4)       | Multiple paid dates may occur for the same claim as part of the adjudication process. The Medical Detail file contains a record for each payment and adjudications record submitted by the payer. Its source is MC017 for Medical, PC017 for Pharmacy, and DC017 for Dental. This DATE field is presented as the Year that payment transaction occurred and will be presented in a CCYY format.             |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | First Paid Date           | MC017, PC017, DC017             | PAID_DATE           | 8              | VARCHAR (8)       | Multiple paid dates may occur for the same claim as part of the adjudication process. The Medical Detail file contains a record for each payment and adjudications record submitted by the payer. Its source is MC017 for Medical, PC017 for Pharmacy, and DC017 for Dental. This DATE field will be presented in a CCYYMMDD format.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME              | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|---------------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Date                        | MC018                           | ADM_DATE          | 9              | VARCHAR (8)       | This field contains the date of the <b>inpatient</b> admission as submitted by the data reporter. This field is inconsistently reported across payers. It may be underreported on inpatient claims or overreported on outpatient claims. This field links to the date reference file. In text-formatted extracts only, this DATE field will be presented in a CCYYMMDD format. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Year and Month (Calculated) | MC018                           | ADM_YEARMO        | 10             | VARCHAR (6)       | This field contains the date of the <b>inpatient</b> admission as submitted by the data reporter. This field is inconsistently reported across payers. It may be underreported on inpatient claims or overreported on outpatient claims. This DATE field will be presented in a CCYYMM format.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Year (Calculated)           | MC018                           | ADM_YR            | 11             | NUMERIC (4)       | This field contains the year of the <b>inpatient</b> admission in CCYY format; its source is the Admission Date element (MC018) in the medical claims file. In addition to dates in CCYY format, valid codes also include:<br>0...Not an inpatient record<br>-1...Not specified (no discharge date reported) -<br>2...Not valid (invalid discharge date code reported)         |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Discharge Date                        | MC069                           | DIS_DATE          | 12             | VARCHAR (8)       | This field contains the date of the <b>inpatient</b> discharge. This field links to the date reference file using the DATE_DAY field. This DATE field will be presented in a CCYYMMDD format.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME                     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME          | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|--|---------------------------------|----------------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Discharge Year and Month (Calculated)        | MC069                           | DIS_YEARMO                 | 13             | NUMERIC (4)       | This field contains the year and month of the <b>inpatient</b> discharge from the hospital in CCYYMM format; its source is the Discharge Date element (MC069) in the medical claims file. In addition to dates in CCYYMM format, valid codes also include:<br>0...Not an inpatient record<br>-1...Not specified (no discharge date reported) -<br>2...Not valid (invalid discharge date code reported)                                |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Discharge Year (Calculated)                  | MC069                           | DIS_YR                     | 14             | NUMERIC (4)       | This field contains the year of the <b>inpatient</b> discharge from the hospital in CCYY format; its source is the Discharge Date element (MC069) in the medical claims file. In addition to dates in CCYY format, valid codes also include:<br>0...Not an inpatient record<br>-1...Not specified (no discharge date reported) -<br>2...Not valid (invalid discharge date code reported)  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Payer Claim Control Number with Claim Suffix | MC004, MC005A, PC004, DC004     | CLAIM_ID_WITH_CLAIM_SUFFIX | 15             | VARCHAR (200)     | This field contains the claim number used by the payer to internally track the claim. In general the claim number is associated with all service lines of the bill. Therefore, multiple medical records may share the same claim number. The Payer Claim Control Number should not be considered unique across payers. This field is not edited.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Payer Claim Control Number                   | MC004, PC004, DC004             | CLAIM_ID                   | 16             | VARCHAR (100)     | This field contains the claim number used by the payer to internally track the claim. In general the claim number is associated with all service lines of the bill. Therefore, multiple medical records may share the same claim number. Because the Payer Claim Control Number is not unique across payers, the Payer ID is assigned as the prefix to each submitted Payer Claim Control Number. This field is not otherwise edited. |

| TABLE NAME  | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER  | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------|--|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Claim Version             | MC005A, DC207, PC902   | CLAIM_SUFFIX      | 17             | VARCHAR (100)     | This field indicates the Claim Version number. This is used if the payer adjudicates claims based on a versioning system. Its source is MC005A. When more than one version of a fully-processed claim service line is submitted, each version of a claim service line shall be enumerated sequentially with a higher version number (MC005A) so that the latest version of that service line is the record with the highest version number (MC005A) and the same claim number + line counter. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Line Counter              | MC005, PC005, DC005  | SV_LINE           | 18             | NUMERIC (6)       | This field contains the line number for this service as reported by the payer. The Line Counter begins with 1 and is incremented by 1 for each additional service line of a claim.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Claim Type                | MC899, PC899, DC899  | FORM_TYPE         | 19             | VARCHAR (1)       | This field identifies whether the claim is a UB (U), HCFA/CMS (H), Pharmacy (D) or Dental (A) type of claim.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Claim Status Standardized | MC063, MC065, MC066, MC067, PC036, PC040, PC041, PC042, DC038, DC039, DC040, DC041 | SV_STAT           | 20             | VARCHAR (1)       | This is a calculated field using the fields listed in Data Element Number column. If the dollar amounts listed add up to 0, then it's denied, if less than 0, then reversed, else paid. This is the standardized status of the claim. The values include:<br>P...Paid<br>R...Reversed<br>D...Denied   |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Discharge Status         | MC023                           | DIS_STAT          | 21             | NUMERIC (2)       | <p>This field contains the patient discharge status code as reported by the payer. This field is inconsistently reported across data reporters; it may be underreported on inpatient records and sometimes reported on outpatient records. This does not apply to pharmacy. This field links to the <b><i>REF_DIS_STAT</i></b> table.</p> <p>01...Discharged to home or self-care<br/>           02...Discharged/transferred to another short-term general hospital for inpatient care<br/>           03...Discharged/transferred to skilled nursing facility (SNF)<br/>           04...Discharged/transferred to nursing facility (NF) 05...Discharged/transferred to another type of institution for inpatient care or referred for outpatient services to another institution<br/>           06...Discharged/transferred to home under care of organized home health service organization<br/>           07...Left against medical advice or discontinued care<br/>           08...Discharged/transferred to home under care of a Home IV provider<br/>           09...Admitted as an inpatient to this hospital<br/>           20...Expired<br/>           30...Still patient or expected to return for outpatient services<br/>           40...Expired at home<br/>           41...Expired in a medical facility<br/>           42...Expired, place unknown<br/>           43...Discharged/transferred to a federal hospital<br/>           50...Hospice – home<br/>           51...Hospice – medical facility<br/>           61...Discharged/transferred within this institution to a hospital-based Medicare-approved swing bed</p> |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|            |                          |                                 |                   |                |                   | 62...Discharged/transferred to an inpatient rehabilitation facility including distinct parts of a hospital<br>63...Discharged/transferred to a long term care hospital<br>64...Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare<br>-1...Not specified (no discharge status reported)<br>-2...Not valid (invalid discharge status code reported) |

| TABLE NAME   | DATA ELEMENT COMMON NAME                                 | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Service Site (Professional) Code / Place of Service Code | MC037, DC030                    | POS               | 22             | VARCHAR (2)       | <p>This payer-supplied field, which is required for professional claims and is not be used for institutional claims, records the site where the service was performed. <u>Pharmacy Claims are always 01. Dental Claims are always 99.</u> This field links to the <b>REF_POS</b> file. Valid codes include:</p> <p>POS...POS_DESC<br/>           01...Pharmacy<br/>           03...School<br/>           04...Homeless Shelter<br/>           05...Indian Health Service – Free Standing Facility<br/>           06...Indian Health Service – Provider-Based Facility<br/>           07...Tribal 638 – Free Standing Facility<br/>           08...Tribal 638 – Provider-Based Facility<br/>           09...Prison – Correctional Facility<br/>           11...Office<br/>           12...Home<br/>           13...Assisted Living Facility<br/>           14...Group Home<br/>           15...Mobile Unit<br/>           16...Temporary Lodging<br/>           17...Walk-in Retail Health Clinic<br/>           18...Place of Employment/Worksite<br/>           20...Urgent Care Facility<br/>           21...Inpatient Hospital<br/>           22...Outpatient Hospital<br/>           23...Emergency Room – Hospital<br/>           24...Ambulatory Surgical Center<br/>           25...Birthing Center<br/>           26...Military Treatment Facility<br/>           31...Skilled Nursing Facility</p> |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|            |                          |                                 |                   |                |                   | 32...Nursing Facility<br>33...Custodial Care Facility<br>34...Hospice<br>35...Adult Living Care Facilities (ALCF) – Unassigned as of 04/01/08<br>41...Ambulance – Land<br>42...Ambulance – Air or Water<br>49...Independent Clinic<br>50...Federally Qualified Health Centers<br>51...Inpatient Psychiatric Facility<br>52...Psychiatric Facility Partial Hospitalization<br>53...Community Mental Health Center<br>54...Intermediate Care Facility/Mentally Retarded<br>55...Residential Substance Abuse Treatment Facility<br>56...Psychiatric Residential Treatment Center<br>57...Non-Residential Substance Abuse Treatment Facility<br>60...Mass Immunizations Center (eff. 9/1/97)<br>61...Comprehensive Inpatient Rehabilitation Facility<br>62...Comprehensive Outpatient Rehabilitation Facility<br>65...End Stage Renal Disease Treatment Facility<br>71...State or Local Public Health Clinic<br>72...Rural Health Clinic<br>81...Independent Laboratory<br>99...Other Unlisted Facility |

| TABLE NAME  | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|----------------------------------|---|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member ID Number<br>(Calculated) | Various combinations of:<br>ME008,<br>ME009,<br>ME010,<br>ME014,<br>ME014,<br>MC007,<br>MC008,<br>MC009,<br>MC012,<br>MC013,<br>PC007,<br>PC008,<br>PC009,<br>PC012,<br>PC013,<br>DC007,<br>DC008,<br>DC009,<br>DC012,<br>DC013 | MEMBER_ID         | 23             | VARCHAR (200)     | This is the standard unencrypted Member ID that is a composite of the member identification elements supplied by the data supplier. See <b>REF_PROCESSING_RULES</b> below for more details. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member Key                       | N/A   | MEMBER_KEY        | 24             | NUMERIC (20)      | This is the unique member identification key for each member. It links to the Member_Details table  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Medical Membership Month         | N/A   | MEMBER_MONTH_KEY  | 25             | NUMERIC (20)      | This is the unique member month identification key for each member.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Subscriber ID                    | ME008,<br>ME009   | SUBSCRIBER_ID     | 26             | VARCHAR (200)     | Subscriber ID supplied by data submitter. This field was hashed during the NH preprocessor processing prior to submission to Milliman.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME                                | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|---|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Subscriber Key  | N/A                             | SUBSCRIBER_KEY    | 27             | NUMERIC (22)      | This field is the key that links to the subscriber's member record.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Standardized Individual Relationship to Subscriber Code | MC011, PC011, DC011             | RELATION          | 28             | VARCHAR(10)       | <p>This field contains the standardized relationship to the subscriber according to classifications made by Milliman. This field contains the Standardized value indicating the member's relationship to the subscriber or the insured and links to the <b>REF_RELATION</b> data set using the Standardized Individual Relationship to Subscriber Key element. Its source is the Individual Relationship Code element reported by the payer in the member eligibility data.</p>  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member Age (Calculated)                                 | ME014, MC059, PC032, DC035      | AGE               | 29             | NUMERIC (3)       | <p>This field contains the age of the member in years. Age is calculated using the FROM DATE element for dental claims (DC035), medical claims (MC059), and pharmacy claims (PC032). For membership data, the age is calculated as of the last day of the membership month. It is derived from the member's date of birth (ME014). Children younger than one year have an age of 0. Age 90 and greater is rolled up to a single group, "90+". If no date of birth is available, this field is null. Erroneous age values – due to errors with the submitted member's date of birth, or service dates – will appear as null or 255.</p> |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER     | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|-------------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member Gender            | MC012,<br>PC012,<br>DC012           | SEX               | 30             | VARCHAR (2)       | This field indicates the member's gender. Valid codes include:<br>M...Male<br>F...Female<br>U...Unknown<br>-1...Not specified (no gender reported)<br>-2...Not valid (invalid gender code reported)  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member ZIP Code          | ME017,<br>MC016,<br>PC016,<br>DC016 | MEMBER_ZIP        | 31             | VARCHAR (11)      | This field contains the member's ZIP code and links to the <b>REF_GEOGRAPHY</b> table.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | City Name of Member      | ME015,<br>MC014,<br>PC014,<br>DC014 | MEMBER_CITY       | 32             | VARCHAR (30)      | This field contains the city name of the member. Its source is MC014, PC014, and DC014.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member County Code       | ME017,<br>MC016,<br>PC016,<br>DC016 | MEMBER_COUNTY     | 33             | NUMERIC (5)       | This field contains the member's county of residence if the member is a NH resident. Its source is the Member ZIP Code element and it links to the <b>REF_GEOGRAPHY</b> table. Valid codes include:<br>1...Belknap<br>3...Carroll<br>5...Cheshire<br>7...Coos<br>9...Grafton<br>11...Hillsborough<br>13...Merrimack<br>15...Rockingham<br>17...Strafford<br>19...Sullivan<br>999...Other (not New Hampshire)<br>-1...Not specified (no ZIP code reported)<br>-2...Not valid (invalid ZIP code reported): |

| TABLE NAME  | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member State              | ME016, MC015, PC015, DC015      | MEMBER_STATE      | 34             | VARCHAR (2)       | This field contains the member's state and uses the two-character state abbreviation as defined by the US Postal Service. Other valid codes include:<br>-1...Not specific (no state reported)<br>-2...Not valid (invalid state code)  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Parent Payer Code         | MC001, PC001, DC001             | PARENT_PAYER_CODE | 35             | VARCHAR (8)       | This field is the Payer ID Number of the data submitter company that links to the <b>REF_PAYER</b> file using the Parent_Payer_Code value. This code is used to identify the data reporter. It is based upon MC001, PC001, or DC001.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Standardized Product Code | ME003                           | INSURANCE_TYPE    | 36             | VARCHAR (2)       | This field contains the code identifying the <u>member's</u> type of insurance or insurance product and links to the <b>REF_ELIGIBILITY_INSURANCE_TYPE</b> . Its source is the Insurance Type / Product Code element reported by the payer. Valid codes include:<br>12...Medicare Secondary – Aged Beneficiary or Spouse with Employer Group Health Plan<br>13...Medicare Secondary – End-Stage Renal Disease Beneficiary<br>14...Medicare Secondary – No-Fault Insurance<br>15...Medicare Secondary – Workers' Compensation<br>16...Medicare Secondary – Public Health Service or Other Federal Agency<br>17...Dental<br>18...Vision<br>19...Prescription Drugs<br>41...Medicare Secondary – Black Lung<br>42...Medicare Secondary – Veterans Administration<br>43...Medicare Secondary – Disabled Beneficiary Under Age 65<br>47...Medicare Secondary – Other Liability |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|            |                          |                                 |                   |                |                   | Insurance is Primary<br>AP...Auto Insurance Policy<br>CL...Commercial<br>CO...Consolidated Omnibus Reconciliation Act (COBRA)<br>CP...Medicare Conditionally Primary<br>D...Disability<br>DB...Disability Benefits<br>E...Medicare – Point of Service (POS)<br>EP...Exclusive Provider Organization<br>FF...Family or Friends<br>FL...Federal Employees Health Benefits Program<br>HM...Health Maintenance Organization (HMO)<br>HN...Health Maintenance Organization (HMO)<br>Medicare Risk<br>HS...Special Low-Income Medicare Beneficiary<br>IN...Indemnity<br>IP...Individual Policy<br>LC...Long-Term Care<br>LD...Long-Term Policy<br>LI...Life Insurance<br>LT...Litigation<br>MA...Medicare Part A<br>MB...Medicare Part B<br>MC...Medicaid<br>MD...Medicare Part D<br>MH...Medigap Part A<br>MI...Medigap Part B<br>MP...Medicare Primary<br>OT...Other<br>PE...Property Insurance - Personal<br>PR...Preferred Provider Organization (PPO)<br>PS...Point of Service (POS)<br>QM...Qualified Medicare Beneficiary<br>RP...Property Insurance - Real<br>SP...Medicare Supplemental Policy<br>TF...Tax Equity Fiscal Responsibility Act |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|  |                          |                                 |                   |                |                   | (TEFRA)<br>TR...Tricare<br>U...Multiple Options Health Plan<br>VA...Veterans Administration Plan<br>WC...Workers' Compensation<br>WU...Wrap Up Policy<br>-1...Not specified (no insurance type / product code reported)<br>-2...Not valid (invalid insurance type / product code reported)   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Procedure Code           | MC055,<br>DC032                 | PROC_CODE         | 37             | VARCHAR (10)      | This field contains the HCPCS or CPT code for the procedure performed. Many data reporters continue to use local codes. This code links to the file <b>REF_CPT</b> which contains standard values and the non-standard values that are reported by the data reporters which are flagged as custom. These must be taken into consideration when selecting records for a specific type of procedure. This is one of three medical claims fields used to report the type of service (see also Revenue Code (MC054) and ICD-CM Procedure Code (MC058)). This field links to <b>REF_PROC_CODE</b> using the CPT Code element. |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Procedure Modifier 1     | MC056, DC033                    | CPT_MOD1          | 38             | VARCHAR (2)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT/CDT Modifier reference file <b>REF_CPT_MOD</b> for Medical but to the <b>REF_PROC_CODE_DENTAL</b> for Dental. This does not apply to Rx. <b>Please note: If MC056 or DC033 = 'N', this means the procedure modifier is not populated.</b> |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Procedure Modifier 2     | MC057, DC034                    | CPT_MOD2          | 39             | VARCHAR (2)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT/CDT Modifier reference file <b>REF_CPT_MOD</b> for Medical but to the <b>REF_PROC_CODE_DENTAL</b> for Dental. <b>Please note: If MC057 or DC034 = 'N', this means the procedure modifier is not populated.</b>                            |

| TABLE NAME  | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|-----------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Type of Service                   | N/A                             | TOS               | 40             | VARCHAR (20)      | MedInsight generated Type of Service value. Always NULL in the data.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Revenue Code                      | MC054                           | REV_CODE          | 41             | VARCHAR (4)       | This field is used to report the Revenue Code for hospital claims. National Uniform Billing Committee codes are used in this field. This field links to the <b><i>REF_REV_CODE</i></b> reference file using the Revenue Code. This is one of three medical claims fields used to report type of service (see also Procedure Code (MC055) and ICD-CM Procedure Code (MC058)).   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Type of Bill (Institutional) Code | MC036                           | UB_BILL_TYPE      | 42             | VARCHAR (2)       | <p>This field contains the Type of Bill code as reported on a UB. This field links to the <b><i>REF_BILL_TYPE</i></b> reference table. Valid codes include:</p> <p><b><u>First Digit (Type of Facility)</u></b></p> <ul style="list-style-type: none"> <li>1...Hospital</li> <li>2...Skilled Nursing</li> <li>3...Home Health</li> <li>4...Christian Science Hospital</li> <li>5...Christian Science Extended Care</li> <li>6...Intermediate Care</li> <li>7...Clinic</li> <li>8...Special Facility</li> </ul> <p><b><u>Second Digit if First Digit is 1 through 6 (Bill Classification)</u></b></p> <ul style="list-style-type: none"> <li>1...Inpatient (including Medicare Part A)</li> <li>2...Inpatient (including Medicare Part B Only)</li> <li>3...Outpatient</li> <li>4...Other (for hospital referenced diagnostic services or home health not under a plan of treatment)</li> <li>5...Nursing Facility Level I</li> </ul> |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|            |                          |                                 |                   |                |                   | 6...Nursing Facility Level II<br>7...Intermediate Care – Level III Nursing Facility<br>8...Swing Beds<br><b><u>Second Digit if First Digit is 7 (Bill Classification)</u></b><br>1...Rural Health<br>2...Hospital Based or Independent Renal Dialysis Center<br>3...Free Standing Outpatient Rehabilitation Facility (ORF)<br>5...Comprehensive Outpatient Rehabilitation Facility (CORF)<br>6...Community Mental Health Center<br>9...Other<br><br><b><u>Second Digit if First Digit is 8 (Bill Classification)</u></b><br>1...Hospice, Non-hospital based<br>2...Hospice, Hospital based<br>3...Ambulatory Surgery Center<br>4...Free Standing Birthing Center<br>9...Other<br><br><b><u>Third Digit (Frequency)</u></b><br>0...Non-Payment/Zero<br>1...Admit Through Discharge<br>2...Interim – First Claim<br>3...Interim – Continuing Claims<br>4...Interim – Last Claim<br>5...Late Charge Only<br>7...Replacement of Prior Claim<br>8...Void/Cancel of a Prior Claim<br>9...Final Claim for a Home Health PPS Episode |

| TABLE NAME  | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|-----------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Source Code       | MC021                           | ADM_SRC           | 43             | VARCHAR (2)       | <p>This field is the primary identification key for each Admission Source record and links to the Admission Source element (MC021) in the medical claims file. This field is required for inpatient hospital claims. This field links to the admission source reference file <b>REF_ADM_SRC</b>. Valid codes include:</p> <ol style="list-style-type: none"> <li>1...Physician Referral</li> <li>2...Clinic Referral</li> <li>3...HMO Referral</li> <li>4...Transfer from Hospital</li> <li>5...Transfer from a Skilled Nursing Facility</li> <li>6...Transfer from another Health Care Facility</li> <li>7...Emergency Room</li> <li>8...Court/Law Enforcement</li> <li>9...Unknown</li> <li>A...Transfer from a Rural Primary Care Hospital</li> </ol> |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Type              | MC020                           | ADM_TYPE          | 44             | NUMERIC (1)       | <p>This field is used to record the type of admission for all inpatient hospital bills. Many data reporters do not capture this information. This field links to the admission type reference file <b>REF_ADM_TYPE</b>. Valid codes include:</p> <ol style="list-style-type: none"> <li>1...Emergency</li> <li>2...Urgent</li> <li>3...Elective</li> <li>4...Newborn</li> <li>5...Trauma Center</li> <li>9...Information Not Available</li> </ol>  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Length of Stay (Calculated) | N/A                             | CLIENT_LOS        | 45             | NUMERIC (4)       | <p>This field contains the length of stay (in days) for an inpatient claim. It is calculated by subtracting the Admission Date (MC018) from the Discharge Date (MC069).</p>  |

| TABLE NAME   | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|----------------------------|---------------------------------|---------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | ICD 10 or Higher Indicator | MC200, DC209                    | ICD_10_OR_HIGHER    | 46             | INT               | Starting Oct. 1, 2015, CMS requires that Diagnosis and Procedures codes be submitted in ICD10 format. This column indicates that the correct ICD version is being used.<br>0...ICD9 Diagnosis and Procedure Codes exist in this claim line<br>1...ICD10 or higher Diagnosis and Procedure Codes exist in this claim line.<br>It links to <b>REF_ICD_PROC</b> and <b>REF_ICD_DIAG</b> .            |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | ICD-CM Procedure Code      | MC058                           | ICD_PROC_01_PRI     | 47             | VARCHAR (10)      | This field is used to report the principal ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters. This is one of three medical claims fields used to report type of service (see also Procedure Code (MC055) and Revenue Code (MC054)). It links to <b>REF_ICD_PROC</b> . |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Principal Diagnosis        | MC041, DC208                    | ICD_DIAG_01_PRIMARY | 48             | VARCHAR (7)       | This field contains the ICD diagnosis code for the principal diagnosis. It (along with all ICD_DIAG Data Elements, links to <b>REF_ICD_DIAG</b> ).  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Admitting Diagnosis        | MC039                           | ICD_DIAG_A D MIT    | 49             | VARCHAR (7)       | This field contains the ICD diagnosis code indicating the reason for the inpatient admission. The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Other Diagnosis 01         | MC042                           | ICD_DIAG_02         | 50             | VARCHAR (7)       | This field contains the ICD diagnosis code for the first secondary diagnosis (Other Diagnosis 1). The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Other Diagnosis 02         | MC043                           | ICD_DIAG_03         | 51             | VARCHAR (7)       | This field contains the ICD diagnosis code for the second secondary diagnosis (Other Diagnosis 2). The decimal point is not coded.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 03       | MC044                           | ICD_DIAG_04       | 52             | VARCHAR (7)       | This field contains the ICD diagnosis code for the third secondary diagnosis (Other Diagnosis 3). The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 04       | MC045                           | ICD_DIAG_05       | 53             | VARCHAR (7)       | This field contains the ICD diagnosis code for the fourth secondary diagnosis (Other Diagnosis 4). The decimal point is not coded.  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 05       | MC046                           | ICD_DIAG_06       | 54             | VARCHAR (7)       | This field contains the ICD diagnosis code for the fifth secondary diagnosis (Other Diagnosis 5). The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 06       | MC047                           | ICD_DIAG_07       | 55             | VARCHAR (7)       | This field contains the ICD diagnosis code for the sixth secondary diagnosis (Other Diagnosis 6). The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 07       | MC048                           | ICD_DIAG_08       | 56             | VARCHAR (7)       | This field contains the ICD diagnosis code for the seventh secondary diagnosis (Other Diagnosis 7). The decimal point is not coded. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 08       | MC049                           | ICD_DIAG_09       | 57             | VARCHAR (7)       | This field contains the ICD diagnosis code for the eighth secondary diagnosis (Other Diagnosis 8). The decimal point is not coded.  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Other Diagnosis 09       | MC050                           | ICD_DIAG_10       | 58             | VARCHAR (7)       | This field contains the ICD diagnosis code for the ninth secondary diagnosis (Other Diagnosis 9). The decimal point is not coded.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy   | Other Diagnosis 10       | MC051                           | ICD_DIAG_11       | 59             | VARCHAR (7)       | This field contains the ICD diagnosis code for the tenth secondary diagnosis (Other Diagnosis 10). The decimal point is not coded.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|-----------------------------------|-----------------------------------|-------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_PC_yyyy  |                                   |                                   |                   |                |                   |   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other Diagnosis 11                | MC052                             | ICD_DIAG_12       | 60             | VARCHAR (7)       | This field contains the ICD diagnosis code for the eleventh secondary diagnosis (Other Diagnosis 11). The decimal point is not coded.                                     |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other Diagnosis 12                | MC053                             | ICD_DIAG_13       | 61             | VARCHAR (7)       | This field contains the ICD diagnosis code for the twelfth secondary diagnosis (Other Diagnosis 12). The decimal point is not coded.                                      |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Service Provider Key              | N/A                               | SERV_PROV_KEY     | 62             | NUMERIC (12)      | This is the unique provider key of the service provider that links to the Provider_Details table.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Service Provider ID Number        | MC024, MC026, PC047, DC020, DC018 | SERV_PROV_ID      | 63             | VARCHAR (100)     | This is the service provider ID submitted by the data supplier.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Service Provider Crosswalk ID     | N/A                               | SERV_PROV_CW_ID   | 64             | VARCHAR (100)     | This is the cross walked ID of the service provider that is mapped from the Provider IDs submitted by each data supplier into a consistent Provider ID for each provider. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Service Provider Crosswalk ID Key | N/A                               | SERV_PROV_CW_KEY  | 65             | NUMERIC (12)      | This field contains the consistent, unique service provider ID key across all data suppliers that links to an identified single provider in the provider detail file.     |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy  | Billing Provider ID Key           | N/A                               | BILL_PROV_KEY     | 66             | NUMERIC (12)      | This is the unique provider key of the billing provider that links to the Provider_Details table.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER          | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|-----------------------------------|--|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_PC_yyyy   |                                   |  |                   |                |                   |   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Billing Provider ID Number        | MC076, MC077, PC018, PC021, DC042, DC043 | BILL_PROV_ID      | 67             | VARCHAR (100)     | This is the billing provider ID submitted by the data supplier. Preference is given to MC077 (Actual NPI) when both fields MC076 and MC077 are populated.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Billing Provider Crosswalk ID     | N/A                                      | BILL_PROV_CW_ID   | 68             | VARCHAR (100)     | This is the cross walked ID of the billing provider that is mapped from the Provider IDs submitted by each data supplier into a consistent Provider ID for each provider.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Billing Provider Crosswalk ID Key | N/A                                      | BILL_PROV_CW_KEY  | 69             | NUMERIC (12)      | This field contains the consistent, unique billing provider ID key across all data suppliers that links to an identified single provider in the provider detail file.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy            | Quantity                          | MC061, PC033                             | QTY               | 70             | NUMERIC (10,2)    | For Medical, this column is the count of services performed. For all observation bed service lines, set equal to one. For all other room and board service lines, regardless of the length of stay, set equal to zero. For Pharmacy, it is the Number of metric units of medication dispensed. For Dental, this column is NULL. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Charge Amount                     | MC062, PC035, DC037                      | AMT_BILLED        | 71             | NUMERIC (10,2)    | This decimal field contains the total charges for the service as reported by the provider. This is a money field containing dollars and cents. This field may contain a negative value. This field contains a decimal between dollars and cents.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME                                      | DATA ELEMENT NUMBER/ IDENTIFIER                             | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|---|---|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Amount Allowed<br>(Calculated only when not provided or zero) | MC212, PC212, DC212<br><br>N/A (for data prior to Dec 2015) | AMT_ALLOWED       | 72             | NUMERIC (10,2)    | The decimal field contains the maximum amount deemed payable by insurer. Because this value (fields MC212, PC212, DC212) is not supplied in the data prior to Dec 2015, it is calculated as the summary of paid, copay, coinsurance and deductible amounts (elements MC063, MC067, MC066, MC065, PC036, PC042, PC041, PC040, DC038, DC041, DC040, DC039)   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Paid Amount   | MC063, PC036, DC038   | AMT_PAID          | 73             | NUMERIC (10,2)    | The decimal field contains all health plan payments, including withhold amounts, and excludes all member payments. This is a money field containing dollars and cents. This field may contain a negative value.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Deductible Amount   | MC067, PC042, DC041   | AMT_DEDUCT        | 74             | NUMERIC (10,2)    | The decimal field contains an amount that is required to be paid by a member before health plan benefits will begin to reimburse for services. It is usually an annual amount of all health care costs that are not covered by the member's insurance plan. To determine the total out-of-pocket/member responsibility for this service, you must sum this field with both Copay Amount (MC065/PC040/DC039) and Coinsurance Amount (MC066/PC041/DC040). This is a money field containing dollars and cents. This field may contain a negative value. |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Coinsurance Amount       | MC066, PC041, DC040             | AMT_COINS         | 75             | NUMERIC (10,2)    | The decimal field contains the amount paid by the member and reflects the percent a member must pay toward the cost of a covered service. In many health insurance plans, the coinsurance a member is responsible for is capped after a certain dollar amount of eligible expenses has been incurred. Not all carriers can distinguish between the mutually exclusive fields of Copay Amount (MC065/PC040/DC039) and Coinsurance Amount. To determine the total out-of-pocket/member responsibility for this service, you must sum these two fields with Deductible Amount (MC067/PC042/DC041). This is a money field containing dollars and cents. This field may contain a negative value. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Copay Amount             | MC065, PC040, DC039             | AMT_COPAY         | 76             | NUMERIC (10,2)    | The decimal field contains the preset, fixed dollar amount payable by a member, often on a per-visit/-service basis. Not all carriers can distinguish between the mutually exclusive fields of Copay Amount and Coinsurance Amount (MC066/PC041/DC040). To determine the total out-of-pocket/member responsibility for this service, you must sum these two fields with Deductible Amount (MC067/PC042/DC041). This is a money field containing dollars and cents. This field may contain a negative value.  |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | Prepaid Amount           | MC064                           | AMT_PREPAID       | 77             | NUMERIC (10,2)    | The decimal field contains the fee for service equivalent that would have been paid by the health care claims processor for a specific service if the service had not been capitated. Capitated services are services rendered by a provider through a contract under which payments are based upon a fixed dollar amount for each member on a monthly basis. Note that the provider did not receive this payment. Any payment for this service was made through capitation and that is not captured in this database. This is a money field containing dollars and cents. This field may contain a negative value.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | National Drug Code       | MC075, PC026                    | NDC               | 78             | VARCHAR (11)      | This field contains the National Drug Code. Each drug product listed under Section 510 of the Federal Food, Drug, and Cosmetic Act is assigned a unique 10-digit, three-segment number. This number, known as the National Drug Code (NDC), identifies the labeler/vendor, product, and trade package size. The first segment, the labeler/vendor code, is assigned by the FDA. A labeler is any firm that manufactures, repacks, or distributes a drug product. The second segment, the product code, identifies a specific strength, dosage form, and formulation for a particular firm. The third segment, the package code, identifies package sizes. Both the product and package codes are assigned by the firm. The NDC will be in one of the following configurations: 4-4-2, 5-3-2, or 5-4-1. Only applicable to institutional and pharmacy. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy  | Drug Name                | N/A                             | NDC_PROD_NAME     | 79             | VARCHAR (50)      | This field contains the text name of drug as supplied by the data reporter.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|----------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_PC_yyyy   |                            |                                 |                   |                |                   |   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Generic Drug Indicator     | PC029                           | BRAND_STAT<br>US  | 80             | VARCHAR (7)       | This field indicates whether the drug is a branded drug or a generic drug. The values included are:<br>OTC...Over The Counter<br>GENERIC...Generic<br>SSB...Single Source Brand<br>MSB...Multi Source Brand |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Days Supply                | PC034                           | RX_DAYS_SUPPLY    | 81             | NUMERIC (3)       | The decimal field contains the actual Days Supply for the prescription based on the Quantity Dispensed element (PC033). This field may contain a negative value.  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Ingredient Cost/List Price | PC037                           | RX_INGR_COST      | 82             | NUMERIC (10, 2)   | The decimal field contains the cost of the drug that was dispensed as reported by the payer. This is a money field containing dollars and cents. This field may contain a negative value.                   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Dispensing Fee             | PC039                           | RX_DISP_FEE       | 83             | NUMERIC (10, 2)   | The decimal field contains the amount charged for dispensing. This is a money field containing dollars and cents. This field may contain a negative value.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|----------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Dispense as Written Code   | PC030                           | RX_DAW            | 84             | VARCHAR (2)       | This field indicates the instructions given to the pharmacist for filling the prescription. This field links to the <b>REF_DAW</b> reference file using the Dispense as Written Code. Valid codes include:<br>0...Not dispensed as written<br>1...Physician dispensed as written<br>2...Member dispensed as written<br>3...Pharmacy dispensed as written<br>4...No generic available<br>5...Brand dispensed as generic<br>6...Override<br>7...Substitution not allowed – Brand drug mandated by law<br>8...Substitution allowed – Generic drug not available in marketplace<br>9...Other<br>-1...Not specified (no dispense as written code reported)<br>-2...Not valid (invalid dispense as written code reported) |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | New Prescription or Refill | PC028                           | RX_REFILLS        | 85             | VARCHAR (2)       | This field is used to determine if this is a new prescription or a refill. This field links to the New Prescription Code file using the New Prescription Key element. Valid codes include:<br>00...New prescription<br>01-99...Number of refill(s)<br>Note that a value of 01 may have been reported if the specific number of the prescription refill was unavailable.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy                       | Compound Drug Indicator  | PC031                           | COMPOUND          | 86             | VARCHAR (2)       | This field indicates if this is a compound drug. Valid codes include:<br>N...Non-compound drug<br>Y...Compound drug<br>U...Unspecified drug compound<br>-1...Not specified (no compound drug indicator reported)<br>-2...Not valid (invalid compound drug indicator code reported) |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy                       | Postage Amount Claimed   | PC038                           | POSTAGE           | 87             | NUMERIC (10, 2)   | The decimal field contains the postage amount included in the charges. This is a money field containing dollars and cents. This field may contain a negative value.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | National Plan ID         | MC002, PC002, DC002             | NPLAN             | 88             | VARCHAR (30)      | This field will contain the National Plan ID for the data reporter. This field is not populated. Note that the National Plan ID has not been established yet by CMS. For payer-specific identifiers, use the Payer Code.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | APC Submitted by Payer   | MC074                           | APC_ORIG          | 89             | VARCHAR (5)       | This field contains the APC submitted by the payer for this claim. The CMS methodology is preferred for grouping. Precedence is to be given to APCs transmitted from the healthcare provider.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Claim Status             | MC038, PC025, DC031             | CLAIM_STATUS_ORIG | 90             | VARCHAR (2)       | <p>This field contains the status of the claim as reported by the payer on the remittance. Note that the claim status code is specific to each service line of a claim. Claims processed as secondary may have dramatically lower payments for services rendered because another payer had primary responsibility. A small number of payers are unable to distinguish claims processed as primary from those processed as secondary. In studying the cost of a specific procedure, a claim that is not processed as primary may reflect only a partial payment. This field links to the <b>REF_CLAIM_STATUS</b> table.</p> <p>Valid codes include:</p> <p>01...Processed as primary<br/>           02...Processed as secondary<br/>           03...Processed as tertiary<br/>           04...Denied<br/>           19...Processed as primary, forwarded to additional payer(s)<br/>           20...Processed as secondary, forwarded to additional payer(s)<br/>           21...Processed as tertiary, forwarded to additional payer(s)<br/>           22...Reversal of previous payment<br/>           -1...Not specified (no claim status reported)<br/>           -2...Not valid (invalid claim status code reported)</p> |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | E-Code                   | MC040                           | ECODE_ORIG        | 91             | VARCHAR (10)      | This field describes an injury, poisoning, or adverse effect using an ICD E-Code diagnosis. The user should search the Principal Diagnosis and Other Diagnosis fields (MC041, MC042, MC043, MC044, MC045, MC046, MC047, MC048, MC049, MC050, MC051, MC052, and MC053) to identify all submitted E-Codes. Note that the same E-Code may be reported in this field and in an Other Diagnosis field, depending upon the data reporter.<br>This field links to the <b>REF_ICD_DIAG</b> file. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Patient Account Number   | MC068                           | PATIENT_ACCOUNT   | 92             | VARCHAR (20)      | This field is the Patient Account Number or control number assigned by the hospital to track this patient.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Admission Hour           | MC019                           | ADMIT_HOUR        | 93             | VARCHAR (4)       | This field contains the hour and minutes of the inpatient admission to the hospital in military time. Valid codes include 0000 through 2359 (0000 = midnight; 1200 = noon) as well as:<br>-1...Not specified (no admission hour/minutes reported)<br>-2...Not valid (invalid admission hour/minutes reported)  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy | Discharge Hour           | MC022                           | DISCHARGE_HOUR    | 94             | VARCHAR (4)       | This field contains the hour of the inpatient discharge from the hospital in military time. Valid codes include 00 through 23 (00 = midnight; 12 = noon) as well as:<br>-1...Not specified (no discharge hour reported)<br>-2...Not valid (invalid discharge hour reported)  |

| TABLE NAME  | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|----------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Subscriber SSN (Encrypted)       | MC007, PC007, DC007             | SUBSCRIBER_SSN    | 95             | VARCHAR (200)     | This field contains the encrypted Social Security number of the subscriber. If the Social Security number was not available from the payer, this field will be null and the CONTRACT field will be populated. This field has been encrypted using the same algorithm across all payers.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Plan-Specific Contract Number    | MC008, PC008, DC008             | CONTRACTN O       | 96             | VARCHAR (128)     | This field contains the encrypted, payer-assigned contract number for the subscriber. Its source is MC008.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Member Suffix or Sequence Number | MC009, PC009, DC009             | MEMSEQ            | 97             | VARCHAR (20)      | This field contains the payer-supplied code that uniquely identifies the member within the context of the subscriber's encrypted Social Security number or the CONTRACT element (MC008) in medical claims.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | DRG Submitted by Payer           | MC071                           | DRG_ORIG          | 98             | VARCHAR (7)       | This field contains the DRG submitted by the payer for this claim. The CMS methodology is preferred for grouping. When the CMS methodology is used, this field contains only the DRG. When the All Payer DRG system is used, this field contains three components: ADRG-X, where a constant of A is the prefix, followed by the 3-digit DRG, followed by a dash and then the severity level (indicated here by X). Precedence is to be given to DRGs transmitted from the hospital provider. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Version of DRG Grouper Used      | MC072                           | DRG_VERSION_ORIG  | 99             | VARCHAR (2)       | This field contains the version number of the grouper used to assign the DRG.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME                  | DATA ELEMENT NUMBER/ IDENTIFIER     | DATA ELEMENT NAME             | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|---|-------------------------------------|-------------------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Use Flag Claim Evidence of Secondary Ins. | MC038, PC025, DC031<br>(Calculated) | UF_SECOND<br>_INS             | 100            | VARCHAR (1)       | Y...Information on claim indicates it was paid by a secondary insurer<br>N...No evidence on claim that is was paid by a secondary insurer  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Payer Code                                | MC001, PC001, DC001                 | PAYERCODE                     | 101            | VARCHAR (8)       | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company. This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element. |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy                       | Refill Number                             | PC028                               | REFILL_NUM<br>BER             | 102            | VARCHAR (50)      | Refill number on a prescription.<br>0/00...new prescription<br>1-99...number of refill(s).<br>For data 2009 and prior:<br>R...Refill<br>N...New Prescription.<br>This contains the source data from the Payers that is used to populate column RX_REFILLS.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy                       | Generic Drug Indicator                    | PC029                               | GENERIC_<br>DRUG_IND_<br>ORIG | 103            | VARCHAR (50)      | Generic Drug Indicator provided on source data   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Tooth Number                              | DC204                               | TOOTHNO                       | 104            | VARCHAR (50)      | Tooth number identifies the tooth on which the service was provided.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME        | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Insured Group or Policy Number  | MC006, PC006, DC006             | GROUPID           | 105            | VARCHAR (50)      | This field contains the Insured Group or Policy Number associated with the entity that has purchased the insurance. For self-insured individuals, this relates to the purchaser. For the majority of eligibility and claims data, the group relates to the employer. The group number does not uniquely identify the subscriber. The group number is a personal health identifier (PHI). It is referenced by <b>REF_GROUP</b> |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Unique Person Key               | N/A                             | PERSON_KEY        | 106            | NUMERIC (10)      | This is the key that identifies a unique person within the data warehouse. This can be used to link a member between files, across time and payers.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other ICD-CM Procedure Code – 2 | MC202                           | ICD_PROC_02       | 107            | VARCHAR (10)      | This field is used to report the 2 <sup>nd</sup> ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other ICD-CM Procedure Code – 3 | MC203                           | ICD_PROC_03       | 108            | VARCHAR (10)      | This field is used to report the 3 <sup>rd</sup> ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other ICD-CM Procedure Code – 4 | MC204                           | ICD_PROC_04       | 109            | VARCHAR (10)      | This field is used to report the 4 <sup>th</sup> ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other ICD-CM Procedure Code – 5 | MC205                           | ICD_PROC_05       | 110            | VARCHAR (10)      | This field is used to report the 5 <sup>th</sup> ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME                              | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME             | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---|---------------------------------|-------------------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Other ICD-CM Procedure Code – 6                       | MC206                           | ICD_PROC_06                   | 111            | VARCHAR (10)      | This field is used to report the 6 <sup>th</sup> ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters.   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | CARRIER_ASSOCIATED_WITH_CLAIM                         | MC207, PC203, DC201             | CARRIER_ASSOCIATED_WITH_CLAIM | 112            | VARCHAR (8)       | For each claim, the NAIC code of the carrier when a TPA processes claims on behalf of the carrier. Optional if all medical claims processed by a TPA under contract to a carrier for carved-out services are submitted by the carrier with unified member IDs in all files. |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy            | PRACTITIONER_GROUP_PRACTICE                           | MC209, DC203                    | PRACTITIONER_GROUP_PRACTICE   | 113            | VARCHAR (60)      | Name of group practice to which a practitioner is affiliated if different from MC078 or DC044.  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Coordination of Benefits/Third Party Liability Amount | MC210                           | [COB/TPLA]                    | 114            | NUMERIC (10,2)    | Coordination of Benefits (COB)/Third Party Liability (TPL) is the dollar amount paid from a prior payer (e.g. auto claim, workers comp, dual medical coverage). Report 0 if there is no COB/TPL amount.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Service Line Type                                     | MC215, PC215, DC215             | SERVICE_LINE_TYPE             | 115            | VARCHAR (1)       | The reported code that defines the claim line status in terms of adjudication:<br>O...Original<br>V...Void<br>R...Replacement<br>B...Back Out<br>A...Amendment  |

| TABLE NAME  | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME          | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|----------------------------|---------------------------------|----------------------------|----------------|-------------------|---|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Payment Arrangement Type   | MC216                           | PAYMENT_ ARRANGEMENT _TYPE | 116            | VARCHAR (1)       | Defines the contracted payment methodology for this claim line:<br>1...Capitation<br>2...Fee-for-Service<br>3...Percent of Charges<br>4...DRG<br>5...Pay for Performance<br>6...Global Payment<br>7...Other<br>8...Bundled Payment  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Claim Processing Indicator | MC218, PC214, DC218             | PROCESSING _INDICATOR      | 117            | VARCHAR (1)       | 1...Claim Level<br>2...Service Line level   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Denied Claim Indicator     | MC219, PC216, DC219             | DENIED_ CLAIM_ INDICATOR   | 118            | VARCHAR (1)       | 1...Fully Paid – the entire claim was paid at the allowed amount<br>2...Partially Denied – some of the claims lines were paid at the allowed amount<br>3...Encounter Claim – this claim records a service provided that is paid under a non-Fee For Service (FFS) payment arrangement such as capitation or a fully reimbursed COB claim<br>4...No Payment – no payment made for reasons other than non FFS payment arrangement |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Denial Reason              | MC220, PC217, DC220             | DENIAL_ REASON             | 119            | VARCHAR (4)       | Required when denied claim indicator = 2 or 4<br>Use the most appropriate code from either the Claim Adjustment Reason Codes (CARC) set or the Remittance Advice Remark Codes (RARC) set.   |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | HIOS Plan ID             | MC223, PC213, DC213             | HIOS_PLAN_ID      | 120            | VARCHAR (16)      | The 16 character HIOS Plan ID (Standard component). Including a five digit issuer ID, two character state ID, three digit product number, four digit standard component number and two digit variant component ID. This field may not be available for all market segments; leave blank if not available   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Procedure Modifier 3     | MC221                           | CLAIM_MOD_3       | 121            | VARCHAR (2)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT/CDT Modifier reference file <b>REF_CPT_MOD</b> for Medical but to the <b>REF_PROC_CODE_DENTAL</b> for Dental. This does not apply to Rx. <b>Please note: If MC221 = 'N', this means the procedure modifier is not populated.</b> |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Procedure Modifier 4     | MC222                           | CLAIM_MOD_4       | 122            | VARCHAR (2)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT/CDT Modifier reference file <b>REF_CPT_MOD</b> for Medical but to the  |

| TABLE NAME  | DATA ELEMENT COMMON NAME              | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME                         | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---|---------------------------------------|---------------------------------|---|----------------|-------------------|---|
|   |                                       |                                 |   |                |                   | <b>REF_PROC_CODE_DENTAL</b> for Dental. This does not apply to Rx. <b>Please note: If MC222 = 'N', this means the procedure modifier is not populated.</b>  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Dental Quadrant                       | DC205                           | DENTAL_ QUADRANT                          | 123            | VARCHAR (2)       | Standard quadrant identifier:<br>10 – maxillary (upper) right<br>20 – maxillary (upper) left<br>30 – mandibular (lower) left<br>40 – mandibular (lower) right   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Tooth Surface                         | DC206                           | TOOTH_ SURFACE                            | 124            | VARCHAR (5)       | Tooth surface(s) that the service relates to. See REF_TOOTH_SURFACE table.  |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Carrier Plan Specific Contract Number | MC208, PC204, DC202             | CARRIER_ PLAN_ SPECIFIC_ CONTRACT_ NUMBER | 125            | CHAR(128)         | Populated when a TPA processes claims on behalf of a carrier.   |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Cross Reference Claims ID             | MC211, PC211, DC211             | CROSS_ REFERENCE – CLAIMS_ID              | 126            | CHAR(100)         | The original Payer Claim Control Number (MC004, PC004, DC004). Used when a new Payer Claim Control Number is assigned to an adjusted claim and a Version Number is not used. Because the Payer Claim Control Number is not unique across payers, the Payer ID is assigned as the prefix to each submitted Cross Reference Claim ID. This field is not otherwise edited. |

| TABLE NAME  | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME        | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|--------------------------|---------------------------------|--------------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Pay for Performance Flag | MC217                           | PAY_FOR_PERFORMANCE_FLAG | 127            | CHAR(1)           | Does this provider have pay-for-performance bonuses or year-end withhold returns based on performance for at least one service performed by this provider within the month? Required when MP005 = 1, 2, or 3. Y...Yes N...No |
| <input checked="" type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | In Network Indicator     | MC900, PC901, DC900             | CLAIM_IN_NETWORK         | 128            | CHAR(1)           | A Yes/No indicator that specifies that the provider (not the benefit) is within the health plan network. Valid codes: Y=Yes, N=No, U=Unknown   |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input checked="" type="checkbox"/> CLAIM_MC_yyyy<br><input type="checkbox"/> CLAIM_PC_yyyy                       | Unit of Measure          | MC901                           | UNIT_OF_MEASURE          | 129            | CHAR(2)           | Type of units reported in MC061. Codes accepted DA=days, MN=minutes, UN=units. If MC061 is not reported, MC901=NA  |
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy                       | Prescription Number      | PC043                           | PRESCRIPTION_NUMBER      | 130            | CHAR(20)          | The number generated by the pharmacy when a new prescription is ordered for a person - a unique code assigned to a person's prescribed medicine  |

| TABLE NAME  | DATA ELEMENT COMMON NAME      | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME             | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---|-------------------------------|---------------------------------|-------------------------------|----------------|-------------------|--|
| <input type="checkbox"/> CLAIM_DC_yyyy<br><input type="checkbox"/> CLAIM_MC_yyyy<br><input checked="" type="checkbox"/> CLAIM_PC_yyyy | Mail Order Pharmacy Indicator | PC900                           | MAIL_ORDER_PHARMACY_INDICATOR | 131            | CHAR(1)           | A yes/no indicator that specifies that the pharmacy is a mail order pharmacy. Valid codes: Y=Yes, N=No |

## FINAL CLAIMS

| TABLE NAME      | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME        | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|-----------------------------|---------------------------------|--------------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Coverage Class              | MC899                           | COVERAGE_ CLASS          | 1              | VARCHAR (3)       | This field indicated the type of record. For all medical claims records, this value will be MED.   |
| FINALCLAIM_yyyy | Claim Adjustment Logic Code | N/A                             | CLAIM_ ADJUSTMENT _LOGIC | 2              | VARCHAR (4)       | This code denotes the method of claim adjustment logic that was applied to create the final status of the claim for the Claim Final Status view. This is based upon information provided by data submitters during the registration process.<br>However, it can be modified if the data proves that a different method is required. The reference file for this code is supplied in <b><i>REF_PROCESSING_RULES</i></b> . |
| FINALCLAIM_yyyy | Date of Service (From)      | MC059                           | FROM_DATE                | 3              | VARCHAR (8)       | This field contains the first date of service for this service line. This field links to the date reference file using the DATE_DAY element. This DATE field will be presented in a CCYYMMDD format.   |
| FINALCLAIM_yyyy | Date of Service (Through)   | MC060                           | TO_DATE                  | 4              | VARCHAR (8)       | This field contains the last date of service for this service line. This field links to the date reference file using the DATE_DAY element. This DATE field will be presented in a CCYYMMDD format.  |
| FINALCLAIM_yyyy | First Paid Date             | MC017                           | FIRST_PAID_ DATE         | 5              | VARCHAR (8)       | Multiple paid dates may occur for the same claim as part of the adjudication process. This field contains the First Paid Date associated with the claim. Its source is MC017. In text-formatted extracts only, this DATE field will be presented in a CCYYMMDD format.   |

| TABLE NAME      | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|----------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_YYYY | Last Paid Date             | MC017                           | LAST_PAID_ DATE   | 6              | VARCHAR (8)       | Multiple paid dates may occur for the same claim as part of the adjudication process. This field contains the Last Paid Date associated with the claim. This DATE field will be presented in a CCYYMMDD format.   |
| FINALCLAIM_YYYY | Admission Date             | MC018                           | ADM_ DATE         | 7              | VARCHAR (8)       | This field contains the date of the <b>inpatient</b> admission as submitted by the data reporter. This field is inconsistently reported across payers. It may be underreported on inpatient claims or overreported on outpatient claims. This field links to the date reference file. In text-formatted extracts only, this DATE field will be presented in a CCYYMMDD format.  |
| FINALCLAIM_YYYY | Discharge Date             | MC069                           | DIS_ DATE         | 8              | VARCHAR (8)       | This field contains the date of the <b>inpatient</b> discharge. This field links to the date reference file using the DATE_DAY field. This DATE field will be presented in a CCYYMMDD format.   |
| FINALCLAIM_YYYY | Payer Claim Control Number | MC004                           | CLAIM_ID          | 9              | VARCHAR (100)     | This is highest claim id associated with the grouped claim for those services that can only be grouped by service, dos, member, and provider. For all others this is the individual claim ID.   |
| FINALCLAIM_YYYY | Claim Version              | MC005A                          | CLAIM_ SUFFIX     | 10             | VARCHAR (100)     | This field indicates the Claim Version number. This is used if the payer adjudicates claims based on a versioning system. Its source is MC005A. When more than one version of a fully-processed claim service line is submitted, each version of a claim service line shall be enumerated sequentially with a higher version number (MC005A) so that the latest version of that service line is the record with the highest version number (MC005A) and the same claim number + line counter. |

| TABLE NAME      | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|---------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_YYYY | Claim Key                 | N/A                             | CLAIM_ID_ KEY     | 11             | NUMERIC (12)      | This is highest claim id key associated with the grouped claim for those services that can only be grouped by service, dos, member, and provider.<br>For all others this is the individual claim ID key.   |
| FINALCLAIM_YYYY | Warehouse Effective Date  | N/A                             | MI_POST_ DATE     | 12             | VARCHAR (8)       | This field contains the effective date for the data warehouse. All records within this data set will contain the same date corresponding to the version of the warehouse. In text-formatted extracts only, this DATE field will be presented in a CCYYMMDD format.   |
| FINALCLAIM_YYYY | Line Counter              | MC005                           | SV_LINE           | 13             | NUMERIC (6)       | This field contains the line number for this service as reported by the payer. The Line Counter begins with 1 and is incremented by 1 for each additional service line of a claim.   |
| FINALCLAIM_YYYY | Claim Type                | MC054                           | FORM_TYPE         | 14             | VARCHAR (1)       | This field identifies whether the claim is a UB (U), HCFA/CMS (H), Pharmacy (D) or Dental (A) type of claim  |
| FINALCLAIM_YYYY | Claim Status Standardized | MC063, MC065, MC066, MC067      | SV_STAT           | 15             | VARCHAR (1)       | This is the standardized status of the claim. The values include:<br>P...Paid<br>R...Reversed<br>D...Denied  |
| FINALCLAIM_YYYY | Discharge Status          | MC023                           | DIS_STAT          | 16             | NUMERIC (2)       | This field contains the patient discharge status code as reported by the payer. This field is inconsistently reported across data reporters; it may be underreported on inpatient records and sometimes reported on outpatient records. This does not apply to pharmacy. This field links to the <b>REF_DIS_STAT</b> table.<br>01...Discharged to home or self-care<br>02...Discharged/transferred to another short-term general hospital for inpatient care |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|            |                          |                                 |                   |                |                   | 03...Discharged/transferred to skilled nursing facility (SNF)<br>04...Discharged/transferred to nursing facility (NF)<br>05...Discharged/transferred to another type of institution for inpatient care or referred for outpatient services to another institution<br>06...Discharged/transferred to home under care of organized home health service organization 07...Left against medical advice or discontinued care<br>08...Discharged/transferred to home under care of a Home IV provider<br>09...Admitted as an inpatient to this hospital<br>20...Expired<br>30...Still patient or expected to return for outpatient services<br>40...Expired at home<br>41...Expired in a medical facility<br>42...Expired, place unknown<br>43...Discharged/transferred to a federal hospital<br>50...Hospice – home<br>51...Hospice – medical facility<br>61...Discharged/transferred within this institution to a hospital-based Medicare-approved swing bed<br>62...Discharged/transferred to an inpatient rehabilitation facility including distinct parts of a hospital 63...Discharged/transferred to a long term care hospital<br>64...Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare<br>-1...Not specified (no discharge status reported) |

| TABLE NAME      | DATA ELEMENT COMMON NAME                                 | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--|---------------------------------|-------------------|----------------|-------------------|---|
|                 |  |                                 |                   |                |                   | -2...Not valid (invalid discharge status code reported)   |
| FINALCLAIM_yyyy | Service Site (Professional) Code / Place of Service Code | MC037                           | POS               | 17             | VARCHAR (2)       | <p>This payer-supplied field, which is required for professional claims and is not be used for institutional claims, records the site where the service was performed. This field links to the <b>REF_POS</b> file. Valid codes include:</p> <p>POS...POS_DESC<br/> 01...Pharmacy<br/> 03...School<br/> 04...Homeless Shelter<br/> 05...Indian Health Service – Free Standing Facility<br/> 06...Indian Health Service – Provider-Based Facility<br/> 07...Tribal 638 – Free Standing Facility<br/> 08...Tribal 638 – Provider-Based Facility<br/> 09...Prison – Correctional Facility<br/> 11...Office<br/> 12...Home<br/> 13...Assisted Living Facility<br/> 14...Group Home<br/> 15...Mobile Unit<br/> 16...Temporary Lodging<br/> 17...Walk-in Retail Health Clinic<br/> 18...Place of Employment/Worksite<br/> 20...Urgent Care Facility<br/> 21...Inpatient Hospital<br/> 22...Outpatient Hospital<br/> 23...Emergency Room – Hospital<br/> 24...Ambulatory Surgical Center<br/> 25...Birthing Center</p> |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|            |                          |                                 |                   |                |                   | 26...Military Treatment Facility<br>31...Skilled Nursing Facility<br>32...Nursing Facility<br>33...Custodial Care Facility<br>34...Hospice<br>35...Adult Living Care Facilities (ALCF) – Unassigned as of 04/01/08<br>41...Ambulance – Land<br>42...Ambulance – Air or Water<br>49...Independent Clinic<br>50...Federally Qualified Health Centers<br>51...Inpatient Psychiatric Facility<br>52...Psychiatric Facility Partial Hospitalization<br>53...Community Mental Health Center<br>54...Intermediate Care Facility/Mentally Retarded<br>55...Residential Substance Abuse Treatment Facility<br>56...Psychiatric Residential Treatment Center<br>57...Non-Residential Substance Abuse Treatment Facility<br>60...Mass Immunizations Center (eff. 9/1/97)<br>61...Comprehensive Inpatient Rehabilitation Facility<br>62...Comprehensive Outpatient Rehabilitation Facility<br>65...End Stage Renal Disease Treatment Facility<br>71...State or Local Public Health Clinic<br>72...Rural Health Clinic<br>81...Independent Laboratory<br>99...Other Unlisted Facility |

| TABLE NAME      | DATA ELEMENT COMMON NAME                                       | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|--|---|-------------------|----------------|-------------------|--|
| FINALCLAIM_YYYY | Member ID Number   | Various combinations of: ME008, ME009, ME010, ME014, ME014, MC007, MC008, MC009, MC012, MC013 | MEMBER_ID         | 18             | VARCHAR (200)     | This is the standard encrypted Member ID that is a composite of the member identification elements supplied by the data supplier. See <b>REF_PROCESSING_RULES</b> below for more details.  |
| FINALCLAIM_YYYY | Member Key   | N/A   | MEMBER_ KEY       | 19             | NUMERIC (20)      | This is the unique member identification key for each member. It links to the Member_Details table   |
| FINALCLAIM_YYYY | Medical Membership Month                                       | N/A   | MEMBER_ MONTH_KEY | 20             | NUMERIC (20)      | This is the unique member month identification key for each member.  |
| FINALCLAIM_YYYY | Standardized Individual Relationship to Subscriber Description | MC011, PC011, DC011   | RELATION          | 21             | VARCHAR (10)      | This field contains the standardized relationship to the subscriber according to classifications made by Milliman. This field contains the Standardized value indicating the member's relationship to the subscriber or the insured and links to the <b>REF_RELATION</b> data set using the Standardized Individual Relationship to Subscriber Key element. Its source is the Individual Relationship Code element reported by the payer in the member eligibility data. |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_YYYY | Member Age (Calculated)  | ME014, DC035, MC059, PC032      | AGE               | 22             | NUMERIC (3)       | This field contains the age of the member in years. Age is calculated using the FROM DATE element for dental claims (DC035), medical claims (MC059), and pharmacy claims (PC032). For membership data, the age is calculated as of the last day of the membership month. It is derived from the member's date of birth (ME014). Children younger than one year have an age of 0. Age 90 and greater is rolled up to a single group, "90+". If no date of birth is available, this field is null. Erroneous age values – due to errors in submitted enrollment, service dates or dates of birth – will appear as null or 255. |
| FINALCLAIM_YYYY | Member Gender            | MC012                           | SEX               | 23             | VARCHAR (2)       | This field indicates the member's gender. Valid codes include:<br>M...Male<br>F...Female<br>U...Unknown<br>-1...Not specified (no gender reported)<br>-2...Not valid (invalid gender code reported)  |
| FINALCLAIM_YYYY | Member Zip Code          | ME017                           | MEMBER_ZIP        | 24             | VARCHAR (11)      | This field contains the member's ZIP code and links to the <b>REF_GEOGRAPHY</b> table.   |
| FINALCLAIM_YYYY | Member State             | ME016                           | MEMBER_ STATE     | 25             | VARCHAR (2)       | This field contains the member's state and uses the two-character state abbreviation as defined by the US Postal Service. Other valid codes include:<br>-1....Not specific (no state reported)<br>-2....Not valid (invalid state code)   |

| TABLE NAME      | DATA ELEMENT COMMON NAME            | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|-------------------------------------|---------------------------------|---------------------|----------------|-------------------|---|
| FINALCLAIM_YYYY | Standardized Insurance Product Type | ME003                           | PRODUCT_ TYPE       | 26             | VARCHAR (3)       | <p>This includes the Milliman standardized payer type values, including:</p> <p>PPO...Commercial PPO<br/> POS...Commercial POS<br/> HMO...Commercial HMO<br/> MDE...Medicaid Dual Eligible HMO<br/> MD...Medicaid Disabled HMO<br/> MLI...Medicaid Low Income HMO<br/> MRB...Medicaid Restricted Benefit HMO<br/> MR...Medicare Advantage HMO<br/> MP...Medicare Advantage PPO<br/> MC...Medicare Cost<br/> MS...Medicare Supplement<br/> SN1...Special Needs Plan – Chronic Condition<br/> SN2...Special Needs Plan – Institutionalized<br/> SN3...Special Needs Plan – Dual Eligible<br/> CHP...Child Health Insurance Program<br/> EPO...Exclusive Provider Organization<br/> SF...Self-Funded<br/> SL...Stop Loss<br/> IND...Indemnity</p> <p>This is referenced in the <b>REF_ELIGIBILITY_INSURANCE_TYPE</b> file.</p> |
| FINALCLAIM_YYYY | Payer Code                          | MC001                           | PARENT_ PAYER_ CODE | 27             | VARCHAR (8)       | <p>This field is the Parent Payer Code of the data submitter company that links to the <b>REF_PAYER</b> file using the Parent_Payer_Code value. This code is used to identify the data reporter. It is based upon the Payer Code, and may be related to one or more specific Payer Codes.</p>   |

| TABLE NAME      | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|---------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Standardized Product Code | ME003                           | INSURANCE_TYPE    | 29             | VARCHAR (2)       | <p>This field contains the code identifying the <u>member's</u> type of insurance or insurance product and links to the <b><i>REF_ELIGIBILITY_INSURANCE_TYPE</i></b>. Its source is the Insurance Type / Product Code element reported by the payer. Valid codes include:</p> <p>12...Medicare Secondary – Aged Beneficiary or Spouse with Employer Group Health Plan<br/> 13...Medicare Secondary – End-Stage Renal Disease Beneficiary<br/> 14...Medicare Secondary – No-Fault Insurance<br/> 15...Medicare Secondary – Workers' Compensation<br/> 16...Medicare Secondary – Public Health Service or Other Federal Agency<br/> 17...Dental<br/> 18...Vision<br/> 19...Prescription Drugs<br/> 41...Medicare Secondary – Black Lung<br/> 42...Medicare Secondary – Veterans Administration<br/> 43...Medicare Secondary – Disabled Beneficiary Under Age 65<br/> 47...Medicare Secondary – Other Liability Insurance is Primary<br/> AP...Auto Insurance Policy<br/> CI...Commercial<br/> CO...Consolidated Omnibus Reconciliation Act (COBRA)<br/> CP...Medicare Conditionally Primary<br/> D...Disability<br/> DB...Disability Benefits<br/> E...Medicare – Point of Service (POS)<br/> EP...Exclusive Provider Organization<br/> FF...Family or Friends</p> |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|            |                          |                                 |                   |                |                   | FI...Federal Employees Health Benefits Program<br>HM...Health Maintenance Organization (HMO)<br>HN...Health Maintenance Organization (HMO)<br>Medicare Risk<br>HS...Special Low-Income Medicare Beneficiary<br>IN...Indemnity<br>IP...Individual Policy<br>LC...Long-Term Care<br>LD...Long-Term Policy<br>LI...Life Insurance<br>LT...Litigation<br>MA...Medicare Part A<br>MB...Medicare Part B<br>MC...Medicaid<br>MD...Medicare Part D<br>MH...Medigap Part A<br>MI...Medigap Part B<br>MP...Medicare Primary<br>OT...Other<br>PE...Property Insurance - Personal<br>PR...Preferred Provider Organization (PPO)<br>PS...Point of Service (POS)<br>QM...Qualified Medicare Beneficiary<br>RP...Property Insurance - Real<br>SP...Medicare Supplemental Policy<br>TF...Tax Equity Fiscal Responsibility Act (TEFRA)<br>TR...Tricare<br>U...Multiple Options Health Plan<br>VA...Veterans Administration Plan<br>WC...Workers' Compensation<br>WU...Wrap Up Policy<br>-1...Not specified (no insurance type / product code reported)<br>-2...Not valid (invalid insurance type / product |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|                 |                          |                                 |                   |                |                   | code reported)   |
| FINALCLAIM_YYYY | Procedure Code           | MC055                           | PROC_CODE         | 29             | VARCHAR (10)      | This field contains the HCPCS or CPT code for the procedure performed. Many data reporters continue to use local codes. This code links to the file <b>REF_CPT</b> which contains standard values and the non-standard values that are reported by the data reporters which are flagged as custom. These must be taken into consideration when selecting records for a specific type of procedure. This is one of three medical claims fields used to report the type of service (see also Revenue Code (MC054) and ICD-CM Procedure Code (MC058)). This field links to <b>REF_PROC_CODE</b> using the CPT Code element. |
| FINALCLAIM_YYYY | Procedure Modifier 1     | MC056                           | CPT_MOD1          | 30             | VARCHAR (5)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT Modifier reference.                                  |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_yyyy | Procedure Modifier 2     | MC057, DC034                    | CPT_MOD2          | 31             | VARCHAR (2)       | A modifier is used to indicate that a service or procedure has been altered by some specific circumstance but not changed in its definition or code. Modifiers may be used to indicate that a service or procedure has both a professional and a technical component, only part of a service was performed, a bilateral procedure was performed, or a service or procedure was provided more than once. A procedure modifier is required when a modifier clarifies or improves the reporting accuracy of the associated procedure code. This field links to the CPT/CDT Modifier reference file <b>REF_CPT_MOD</b> for Medical but to the <b>REF_PROC_CODE_DENTAL</b> for Dental.<br><b>Please note: If MC057 or DC034 = 'N', this means the procedure modifier is not populated.</b> |
| FINALCLAIM_yyyy | Revenue Code             | MC054                           | REV_CODE          | 32             | VARCHAR (4)       | This field is used to report the Revenue Code for hospital claims. National Uniform Billing Committee codes are used in this field. This field links to the revenue reference file using the Revenue Code. This is one of three medical claims fields used to report type of service (see also Procedure Code (MC055) and ICD-CM Procedure Code (MC058)).   |

| TABLE NAME      | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|-----------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Type of Bill (Institutional) Code | MC036                           | UB_BILL_ TYPE     | 36             | VARCHAR (3)       | <p>This field contains the Type of Bill code as reported on a UB. This field links to the <b>REF_BILL_ TYPE</b> reference table. Valid codes include:</p> <p><b><u>First Digit (Type of Facility)</u></b></p> <p>1...Hospital<br/> 2...Skilled Nursing<br/> 3...Home Health<br/> 4...Christian Science Hospital<br/> 5...Christian Science Extended Care<br/> 6...Intermediate Care<br/> 7...Clinic<br/> 8...Special Facility</p> <p><b><u>Second Digit if First Digit is 1 through 6 (Bill Classification)</u></b></p> <p>1...Inpatient (including Medicare Part A)<br/> 2...Inpatient (including Medicare Part B Only)<br/> 3...Outpatient<br/> 4...Other (for hospital referenced diagnostic services or home health not under a plan of treatment)<br/> 5...Nursing Facility Level I<br/> 6...Nursing Facility Level II<br/> 7...Intermediate Care – Level III Nursing Facility<br/> 8...Swing Beds</p> <p><b><u>Second Digit if First Digit is 7 (Bill Classification)</u></b></p> <p>1...Rural Health<br/> 2...Hospital Based or Independent Renal Dialysis Center<br/> 3...Free Standing Outpatient Rehabilitation Facility (ORF)<br/> 5...Comprehensive Outpatient Rehabilitation Facility (CORF)<br/> 6...Community Mental Health Center<br/> 9...Other</p> |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|---------------------|----------------|-------------------|---|
|                 |                          |                                 |                     |                |                   | <p><b><u>Second Digit if First Digit is 8 (Bill Classification)</u></b></p> <p>1...Hospice, Non-hospital based<br/> 2...Hospice, Hospital based<br/> 3...Ambulatory Surgery Center<br/> 4...Free Standing Birthing Center<br/> 9...Other</p> <p><b><u>Third Digit (Frequency)</u></b></p> <p>0...Non-Payment/Zero<br/> 1...Admit Through Discharge<br/> 2...Interim – First Claim<br/> 3...Interim – Continuing Claims<br/> 4...Interim – Last Claim<br/> 5...Late Charge Only<br/> 7...Replacement of Prior Claim<br/> 8...Void/Cancel of a Prior Claim<br/> 9...Final Claim for a Home Health PPS Episode</p> |
| FINALCLAIM_yyyy | ICD-CM Procedure Code    | MC058                           | ICD_PROC_0 1_PRI    | 34             | VARCHAR (10)      | This field is used to report the principal ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters. This is one of three medical claims fields used to report type of service (see also Procedure Code (MC055) and Revenue Code (MC054)).   |
| FINALCLAIM_yyyy | Principal Diagnosis      | MC041                           | ICD_DIAG_01_PRIMARY | 35             | VARCHAR (7)       | This field contains the ICD diagnosis code for the principal diagnosis. The decimal point is not coded.   |
| FINALCLAIM_yyyy | Admitting Diagnosis      | MC039                           | ICD_DIAG_AD MIT     | 36             | VARCHAR (7)       | This field contains the ICD diagnosis code indicating the reason for the inpatient admission. The decimal point is not coded.   |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_yyyy | Other Diagnosis 01       | MC042                           | ICD_DIAG_02       | 37             | VARCHAR (7)       | This field contains the ICD diagnosis code for the first secondary diagnosis (Other Diagnosis 1). The decimal point is not coded.   |
| FINALCLAIM_yyyy | Other Diagnosis 02       | MC043                           | ICD_DIAG_03       | 38             | VARCHAR (7)       | This field contains the ICD diagnosis code for the second secondary diagnosis (Other Diagnosis 2). The decimal point is not coded.  |
| FINALCLAIM_yyyy | Other Diagnosis 03       | MC044                           | ICD_DIAG_04       | 39             | VARCHAR (7)       | This field contains the ICD diagnosis code for the third secondary diagnosis (Other Diagnosis 3). The decimal point is not coded.   |
| FINALCLAIM_yyyy | Other Diagnosis 04       | MC045                           | ICD_DIAG_05       | 40             | VARCHAR (7)       | This field contains the ICD diagnosis code for the fourth secondary diagnosis (Other Diagnosis 4). The decimal point is not coded.  |
| FINALCLAIM_yyyy | Other Diagnosis 05       | MC046                           | ICD_DIAG_06       | 41             | VARCHAR (7)       | This field contains the ICD diagnosis code for the fifth secondary diagnosis (Other Diagnosis 5). The decimal point is not coded.   |
| FINALCLAIM_yyyy | Other Diagnosis 06       | MC047                           | ICD_DIAG_07       | 42             | VARCHAR (7)       | This field contains the ICD diagnosis code for the sixth secondary diagnosis (Other Diagnosis 6). The decimal point is not coded.   |
| FINALCLAIM_yyyy | Other Diagnosis 07       | MC048                           | ICD_DIAG_08       | 43             | VARCHAR (7)       | This field contains the ICD diagnosis code for the seventh secondary diagnosis (Other Diagnosis 7). The decimal point is not coded. |
| FINALCLAIM_yyyy | Other Diagnosis 08       | MC049                           | ICD_DIAG_09       | 44             | VARCHAR (7)       | This field contains the ICD diagnosis code for the eighth secondary diagnosis (Other Diagnosis 8). The decimal point is not coded.  |
| FINALCLAIM_yyyy | Other Diagnosis 09       | MC050                           | ICD_DIAG_10       | 45             | VARCHAR (7)       | This field contains the ICD diagnosis code for the ninth secondary diagnosis (Other Diagnosis 9). The decimal point is not coded.   |

| TABLE NAME      | DATA ELEMENT COMMON NAME      | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|-------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_YYYY | Other Diagnosis 10            | MC051                           | ICD_DIAG_11       | 46             | VARCHAR (7)       | This field contains the ICD diagnosis code for the tenth secondary diagnosis (Other Diagnosis 10). The decimal point is not coded.   |
| FINALCLAIM_YYYY | Other Diagnosis 11            | MC052                           | ICD_DIAG_12       | 47             | VARCHAR (7)       | This field contains the ICD diagnosis code for the eleventh secondary diagnosis (Other Diagnosis 11). The decimal point is not coded.  |
| FINALCLAIM_YYYY | Other Diagnosis 12            | MC053                           | ICD_DIAG_13       | 48             | VARCHAR (7)       | This field contains the ICD diagnosis code for the twelfth secondary diagnosis (Other Diagnosis 12). The decimal point is not coded.   |
| FINALCLAIM_YYYY | Service Provider Key          | N/A                             | SERV_PROV_KEY     | 49             | NUMERIC (12)      | This is the unique provider key of the service provider that links to the Provider_Details table.  |
| FINALCLAIM_YYYY | Service Provider ID Number    | MC024, MC026                    | SERV_PROV_ID      | 50             | VARCHAR (100)     | This is the service provider ID submitted by the data supplier.  |
| FINALCLAIM_YYYY | Service Provider Crosswalk ID | N/A                             | SERV_PROV_CW_ID   | 51             | VARCHAR (100)     | This is the cross walked ID of the service provider that is mapped from the Provider IDs submitted by each data supplier into a consistent Provider ID for each provider.  |
| FINALCLAIM_YYYY | Billing Provider ID Key       | N/A                             | BILL_PROV_KEY     | 52             | NUMERIC (12)      | This is the unique provider key of the billing provider that links to the Provider_Details table.  |
| FINALCLAIM_YYYY | Billing Provider ID Number    | MC076, MC077                    | BILL_PROV_ID      | 53             | VARCHAR (100)     | This is the billing provider ID submitted by the data supplier.  |
| FINALCLAIM_YYYY | Quantity                      | MC061                           | QTY               | 54             | NUMERIC (3)       | For Medical, this column is the count of services performed. For all observation bed service lines, set equal to one. For all other room and board service lines, regardless of the length of stay, set equal to zero. |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER                | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|--|-------------------|----------------|-------------------|---|
| FINALCLAIM_YYYY | Charge Amount            | MC062  | AMT_BILLED        | 55             | NUMERIC (10,2)    | The decimal field contains the total charges for the service as reported by the provider. This is a money field containing dollars and cents. This field may contain a negative value.  |
| FINALCLAIM_YYYY | Amount Allowed           | MC063, MC067, MC066, MC065, MC212 (Calculated) | AMT_ALLOWED       | 56             | NUMERIC (10,2)    | The decimal field contains the maximum amount deemed payable by insurer. Because this value is not supplied in the data prior to Dec 2015, it is calculated as the summary of paid, copay, coinsurance and deductible amounts.  |
| FINALCLAIM_YYYY | Paid Amount              | MC063  | AMT_PAID          | 57             | NUMERIC (10,2)    | The decimal field contains all health plan payments, including withhold amounts, and excludes all member payments. It also includes all payments made by the carrier except capitation.<br>This is a money field containing dollars and cents.<br>This field may contain a negative value.  |
| FINALCLAIM_YYYY | Deductible Amount        | MC067  | AMT_DEDUCT        | 58             | NUMERIC (10,2)    | The decimal field contains an amount that is required to be paid by a member before health plan benefits will begin to reimburse for services. It is usually an annual amount of all health care costs that are not covered by the member's insurance plan. To determine the total out-of-pocket/member responsibility for this service, you must sum this field with both Copay Amount (MC065) and Coinsurance Amount (MC066).<br>This is a money field containing dollars and cents. This field may contain a negative value. |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Coinsurance Amount       | MC066                           | AMT_COINS         | 59             | NUMERIC (10,2)    | The decimal field contains the amount paid by the member and reflects the percent a member must pay toward the cost of a covered service. In many health insurance plans, the coinsurance a member is responsible for is capped after a certain dollar amount of eligible expenses has been incurred. Not all carriers can distinguish between the mutually exclusive fields of Copay Amount (MC065) and Coinsurance Amount. To determine the total out-of-pocket/member responsibility for this service, you must sum these two fields with Deductible Amount (MC067). This is a money field containing dollars and cents. This field may contain a negative value. |
| FINALCLAIM_yyyy | Copay Amount             | MC065                           | AMT_COPAY         | 60             | NUMERIC (10,2)    | The decimal field contains the preset, fixed dollar amount payable by a member, often on a per-visit/service basis. Not all carriers can distinguish between the mutually exclusive fields of Copay Amount and Coinsurance Amount (MC066). To determine the total out-of-pocket/member responsibility for this service, you must sum these two fields with Deductible Amount (MC067). This is a money field containing dollars and cents. This field may contain a negative value.   |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_YYYY | Prepaid Amount           | MC064                           | AMT_ PREPAID      | 61             | NUMERIC (10,2)    | The decimal field contains the fee for service equivalent that would have been paid by the health care claims processor for a specific service if the service had not been capitated. Capitated services are services rendered by a provider through a contract under which payments are based upon a fixed dollar amount for each member on a monthly basis. Note that the provider did not receive this payment. Any payment for this service was made through capitation and that is not captured in this database. This is a money field containing dollars and cents. This field may contain a negative value. |
| FINALCLAIM_YYYY | National Plan ID         | MC002, PC002, DC002             | NPLAN             | 62             | VARCHAR (30)      | This field will contain the National Plan ID for the data reporter. This field is not populated. Note that the National Plan ID has not been established yet by CMS. For payer-specific identifiers, use the Payer Code.  |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_yyyy | Claim Status Original    | MC038                           | CLAIM_STATUS_ORIG | 63             | VARCHAR (2)       | <p>This field contains the status of the claim as reported by the payer on the remittance. Note that the claim status code is specific to each service line of a claim. Claims processed as secondary may have dramatically lower payments for services rendered because another payer had primary responsibility. A small number of payers are unable to distinguish claims processed as primary from those processed as secondary. In studying the cost of a specific procedure, a claim that is not processed as primary may reflect only a partial payment. This field links to the <b>REF_CLAIM_STATUS</b> table. Valid codes include:</p> <p>01...Processed as primary<br/> 02...Processed as secondary<br/> 03...Processed as tertiary<br/> 04...Denied<br/> 19...Processed as primary, forwarded to additional payer(s)<br/> 20...Processed as secondary, forwarded to additional payer(s)<br/> 21...Processed as tertiary, forwarded to additional payer(s)<br/> 22...Reversal of previous payment<br/> -1...Not specified (no claim status reported)<br/> -2...Not valid (invalid claim status code reported)</p> |

| TABLE NAME      | DATA ELEMENT COMMON NAME                  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|---|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_yyyy | E-Code                                    | MC040                           | ECODE_ORIG        | 64             | VARCHAR (10)      | This field describes an injury, poisoning, or adverse effect using an ICD E-Code diagnosis. The user should search the Principal Diagnosis and Other Diagnosis fields (MC041, MC042, MC043, MC044, MC045, MC046, MC047, MC048, MC049, MC050, MC051, MC052, and MC053) to identify all submitted E-Codes. Note that the same E-Code may be reported in this field and in an Other Diagnosis field, depending upon the data reporter.   |
| FINALCLAIM_yyyy | Member County                             | MC016                           | MEMBER_COUNTY     | 65             | VARCHAR (5)       | This field contains the member's county of residence if the member is a NH resident. Its source is the Member ZIP Code element and it links to the <b>REF_GEOGRAPHY</b> table. Valid codes include:<br>1...Belknap<br>3...Carroll<br>5...Cheshire<br>7...Coos<br>9...Grafton<br>11...Hillsborough<br>13...Merrimack<br>15...Rockingham<br>17...Strafford<br>19...Sullivan<br>999...Other (not New Hampshire)<br>-1...Not specified (no ZIP code reported)<br>-2...Not valid (invalid ZIP code reported) |
| FINALCLAIM_yyyy | Use Flag Claim Evidence of Secondary Ins. | MC038, PC025, DC031             | UF_SECOND_INS     | 66             | VARCHAR (1)       | Y...Information on claim indicates it was paid by a secondary insurer N...No evidence on claim that it was paid by a secondary insurer  |

| TABLE NAME      | DATA ELEMENT COMMON NAME      | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|-------------------------------|---|-------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Use Flag Existing Eligibility | MC003, MC013, MC059, PC003, PC013, PC032, DC003, DC013, DC035<br>(Calculated) | UF_EXIST_ELIG     | 67             | VARCHAR (2)       | Y...A matching eligibility record for this patient was found in the enrollment table<br>N...A matching eligibility record for this patient was not found in the enrollment table<br>NB...New Born  |
| FINALCLAIM_yyyy | Use Flag Commercial Product   | ME003<br>(Calculated)   | UF_COMM_PROD      | 68             | VARCHAR (1)       | Comprehensive Commercial Product. The current logic is intended to flag records as a Y if they don't have evidence that they were paid as secondary, and also the member is enrolled in a commercial health plan offering.<br>Y...Insurance on this record represents a commercial product<br>N...Insurance on this record does not represent a commercial product |
| FINALCLAIM_yyyy | Use Flag Patient Under Age 65 | ME014, MC059, PC032, DC035  | UF_U65            | 69             | VARCHAR (1)       | Y...Patient was under age 65 on date of service<br>N...Patient was not under age 65 on date of service   |
| FINALCLAIM_yyyy | Use Flag NH Resident          | MC015, PC015, DC015   | UF_NH_RES         | 70             | VARCHAR (1)       | Y...New Hampshire Resident<br>N...Not a New Hampshire Resident   |

| TABLE NAME      | DATA ELEMENT COMMON NAME            | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|-------------------------------------|---|-------------------|----------------|-------------------|--|
| FINALCLAIM_yyyy | Use Flag                            | See definitions for<br>UF_SECOND_INS = N<br>UF_PRI_INS = Y<br>UF_U65 = Y<br>UF_NH_RES = Y<br>UF_COMM_PROD = Y<br>(Calculated) | USE_FLAG          | 71             | VARCHAR (1)       | The USEFLAG is a composite flag that combines results from other Y/N fields. This flag is Y when all of the following conditions are met:<br>Use Flag Primary Eligibility Record(UF_PRIM_ELIG) = N<br>Use Flag Primary Eligibility Record(UF_PRIM_ELIG) = Y<br>Use Flag Patient Under Age 65 (UF_U65) = Y<br>Use Flag NH Resident (UF_NH_RES) = Y<br>Use Flag Commercial Product (UF_COMM_PROD) = Y<br>If any of the above conditions are not met, then the USEFLAG is set to N. |
| FINALCLAIM_yyyy | Use Flag Primary Eligibility Record | ME028   | UF_PRIM_ELIG      | 72             | VARCHAR (1)       | Y...Indicates the primary eligibility record for a patient<br>N...A non-primary eligibility record for a patient   |
| FINALCLAIM_yyyy | Payer Code                          | MC001, PC001, DC001   | PAYERCODE         | 73             | VARCHAR (8)       | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company. This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element.   |
| FINALCLAIM_yyyy | Insured Group or Policy Number      | MC006, PC006, DC006   | GROUPIX           | 74             | VARCHAR (50)      | This field contains the encrypted Insured Group or Policy Number associated with the entity that has purchased the insurance. For self-insured individuals, this relates to the purchaser. For the majority of eligibility and claims data, the group relates to the employer. The group number does not uniquely identify the subscriber. The group number is a personal health identifier (PHI).   |

| TABLE NAME      | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| FINALCLAIM_yyyy | Unit of Measure          | MC901                           | UNIT_OF_MEASURE   | 75             | CHAR(2)           | Type of units reported in MC061. Codes accepted DA=days, MN=minutes, UN=units. If MC061 is not reported, MC901=NA |

#### MEMBER DETAIL

| TABLE NAME    | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER                            | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---------------|--------------------------|--|-------------------|----------------|-------------------|--|
| MEMBER_DETAIL | Member Key               | N/A  | MEMBER_KEY        | 1              | NUMERIC (20)      | This is the unique member identification key for each member. It links to the Member_Details table.  |
| MEMBER_DETAIL | Member ID Number         | Various combinations of: ME008, ME009, ME010, ME014, ME014 | MEMBER_ID         | 2              | VARCHAR (200)     | This is the standard encrypted Member ID that is a composite of the member identification elements supplied by the data supplier. See <b><i>REF_PROCESSING_RULES</i></b> below for more details. |
| MEMBER_DETAIL | Unique Person Key        | N/A  | PERSON_KEY        | 3              | NUMERIC (10)      | This is the key that identifies a unique person within the data warehouse. This can be used to link a member between files, across time and payers.  |

| TABLE NAME    | DATA ELEMENT COMMON NAME      | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---------------|-------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBER_DETAIL | Member Gender                 | ME013                           | SEX               | 4              | VARCHAR (2)       | This field indicates the member's gender. Valid codes include:<br>M...Male<br>F...Female<br>U...Unknown<br>-1...Not specified (no gender reported)<br>-2...Not valid (invalid gender code reported)   |
| MEMBER_DETAIL | Member Social Security Number | ME008                           | MEM_SSN           | 5              | VARCHAR (200)     | This field is used to record the member's encrypted Social Security number when available. If the member is the subscriber, this field contains the same value as the Encrypted Social Security Number. If the member is not the subscriber, this field will not contain that same value. Its sources are ME011, DC010, MC010, and PC010. |
| MEMBER_DETAIL | Member's Last Name            | ME104                           | MEM_LNAME         | 6              | VARCHAR (128)     | This field is the encrypted last name of the member. Its sources are ME104, DC104, MC104, and PC104.  |
| MEMBER_DETAIL | Member's First Name           | ME105                           | MEM_FNAME         | 7              | VARCHAR (128)     | This field is the encrypted first name of the member. Its sources are ME105, DC105, MC105, and PC105.   |
| MEMBER_DETAIL | Member's Middle Initial       | ME106                           | MEM_MNAME         | 8              | VARCHAR (128)     | This field is the encrypted middle initial of the member. Its sources are ME106, DC106, MC106, and PC106.   |
| MEMBER_DETAIL | Member Date of Birth          | ME014                           | DOB               | 9              | VARCHAR(8)        | This field is the member's date of birth. Its sources are ME014, DC013, MC013, and PC013. In text-formatted extracts only, this DATE field will be presented in a CCYYMMDD format.  |
| MEMBER_DETAIL | Member County ID              | ME017                           | MEM_COUNT Y       | 10             | VARCHAR(5)        | This field contains the member's county of residence if the member is a NH resident. Its source is the Member ZIP Code element and it links to the <b>REF_GEOGRAPHY</b> table. Valid codes include:   |

| TABLE NAME    | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|               |                          |                                 |                   |                |                   | 1...Belknap<br>3...Carroll<br>5...Cheshire<br>7...Coos<br>9...Grafton<br>11...Hillsborough<br>13...Merrimack<br>15...Rockingham<br>17...Strafford<br>19...Sullivan<br>999...Other (not New Hampshire)<br>-1...Not specified (no ZIP code reported)<br>-2...Not valid (invalid ZIP code reported):            |
| MEMBER_DETAIL | Member State             | ME016                           | MEM_STATE         | 11             | VARCHAR(2)        | This field contains the member's state and uses the two-character state abbreviation as defined by the US Postal Service. Other valid codes include:<br>-1...Not specific (no state reported)<br>-2...Not valid (invalid state code)   |
| MEMBER_DETAIL | Member Zip Code          | ME017                           | MEM_ZIP           | 12             | VARCHAR(5)        | This field contains the member's ZIP code and links to the <b>REF_GEOGRAPHY</b> table.   |
| MEMBER_DETAIL | Payer Code               | ME001                           | PAYERCODE         | 13             | VARCHAR(8)        | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company. This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element. |
| MEMBER_DETAIL | Subscriber's Last Name   | ME101                           | SUB_LNAME         | 14             | VARCHAR(128)      | This field is the encrypted last name of the subscriber. Its sources are ME101, DC101, MC101, and PC101.   |
| MEMBER_DETAIL | Subscriber's First Name  | ME102                           | SUB_FNAME         | 15             | VARCHAR(128)      | This field is the encrypted first name of the subscriber. Its sources are ME102, DC102, MC102, and PC102.  |

| TABLE NAME    | DATA ELEMENT COMMON NAME                      | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---------------|---|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBER_DETAIL | Subscriber's Middle Initial                   | ME103                           | SUB_MNAME         | 16             | VARCHAR (128)     | This field is the encrypted middle initial of the subscriber. Its sources are ME103, DC103, MC103, and PC103.   |
| MEMBER_DETAIL | Encrypted Social Security Number – Subscriber | ME008                           | SUB_SSN           | 17             | VARCHAR (200)     | This field contains the encrypted Social Security number of the subscriber. If the Social Security number was not available from the payer, this field will be null and the CONTRACT field will be populated. This field has been encrypted using the same algorithm across all payers. Its sources are ME008, DC007, MC007, and PC007. |

## MEMBERSHIP

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|--------------------------|---------------------------------|---------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Coverage Class           | MC899, PC899, DC899             | COVERAGE_CLASS      | 1              | VARCHAR (3)       | This field indicated the type of record. For all medical claims records, this value will be MED. Pharmacy Claims are PHM. Dental Claims are DEN. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Behavioral Coverage Flag | ME001                           | COVERAGE_BEHAVIORAL | 2              | VARCHAR (1)       | This field indicates behavioral coverage; its source is ME001 (the payercode of the carrier). Valid codes include:<br>Y...Yes<br>N...No          |

| TABLE NAME   | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER                            | DATA ELEMENT NAME       | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|----------------------------------|--|-------------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Membership Year , Month, and Day | ME004, ME005 (Calculated)                                  | MEMBER_MONTH_START_DATE | 3              | CHAR(8)           | This field combines YEAR (ME004) and MONTH (ME005) into a single field with a format of YYYYMMDD.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Membership Year & Month          | ME004, ME005 (Calculated)                                  | ENROLL_YEARMO           | 4              | CHAR (6)          | This field combines YEAR (ME004) and MONTH (ME005) into a single field with a format of YYYYMM.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Membership Year                  | ME004  | ENROLL_YEAR             | 5              | CHAR (4)          | This field contains the YEAR (ME004) field with a format of CCYY.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member Key                       | N/A  | MEMBER_KEY              | 6              | NUMERIC (20)      | This is the unique member identification key for each member. It links to the Member_Details table.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member ID Number                 | Various combinations of: ME008, ME009, ME010, ME014, ME014 | MEMBER_ID               | 7              | VARCHAR (200)     | This is the standard encrypted Member ID that is a composite of the member identification elements supplied by the data supplier. See <b><i>REF_PROCESSING_RULES</i></b> below for more details. |

| TABLE NAME   | DATA ELEMENT COMMON NAME                                | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|---|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_yyyy,<br>MEMBERSHIP_MC_yyyy,<br>MEMBERSHIP_PC_yyyy | Subscriber ID   | ME008, ME009                    | SUBSCRIBER_ID     | 8              | VARCHAR (200)     | Subscriber ID supplied by data submitter. This field was hashed during the NH preprocessor processing prior to submission to Milliman.   |
| MEMBERSHIP_DC_yyyy,<br>MEMBERSHIP_MC_yyyy,<br>MEMBERSHIP_PC_yyyy | Standardized Individual Relationship to Subscriber Code | ME012                           | RELATION          | 9              | VARCHAR (10)      | This field contains the standardized relationship to the subscriber according to classifications made by Milliman. This field contains the Standardized value indicating the member's relationship to the subscriber or the insured and links to the <b>REF_RELATION</b> data set using the Standardized Individual Relationship to Subscriber Key element. Its source is the Individual Relationship Code element reported by the payer in the member eligibility data.   |
| MEMBERSHIP_DC_yyyy,<br>MEMBERSHIP_MC_yyyy,<br>MEMBERSHIP_PC_yyyy | Member Age  | ME014                           | AGE               | 10             | NUMERIC (3)       | This field contains the age of the member in years. Age is calculated using the FDATE element for dental claims (DC035), medical claims (MC059), and pharmacy claims (PC032). For membership data, the age is calculated as of the last day of the membership month. It is derived from the member's date of birth (ME014). Children younger than one year have an age of 0. If no date of birth is available, this field is null. Erroneous age values – due to errors in submitted enrollment, service dates or dates of birth – will appear as null or 255. |
| MEMBERSHIP_DC_yyyy,<br>MEMBERSHIP_MC_yyyy,<br>MEMBERSHIP_PC_yyyy | Member Gender   | ME013                           | SEX               | 11             | VARCHAR (2)       | This field indicates the member's gender. Valid codes include:<br>M...Male<br>F...Female<br>U...Unknown<br>-1...Not specified (no gender reported)<br>-2...Not valid (invalid gender code reported)  |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Hispanic Indicator       | ME024                           | HISPANIC          | 12             | VARCHAR (1)       | This field indicates Hispanic ethnicity; its source is ME024. Valid codes include:<br>Y...Yes, patient is Hispanic/Latino/Spanish<br>N...No, patient is not Hispanic/Latino/Spanish<br>U...Unknown  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Race 1                   | ME020                           | RACE              | 13             | VARCHAR (6)       | This field indicates the standardized values for race; its source is ME020. Valid codes include:<br>R1...American Indian/Alaskan Native<br>R2...Asian<br>R3...Black/African American<br>R4...Native Hawaiian or other Pacific Islander<br>R5...White<br>R9...Other race<br>UNKNOW...Unknown/Not specified<br>-1...Not specified (no race reported)<br>-2...Not valid (invalid race code reported) |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Race 2                   | ME021                           | RACE2             | 14             | VARCHAR (6)       | This field indicates race; its source is ME021. Valid codes include:<br>R1...American Indian/Alaskan Native<br>R2...Asian<br>R3...Black/African American<br>R4...Native Hawaiian or other Pacific Islander<br>R5...White<br>R9...Other race<br>UNKNOW...Unknown/Not specified<br>-1...Not specified (no race reported)<br>-2...Not valid (invalid race code reported)                             |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Ethnicity 1              | ME025                           | ETHNICITY1        | 15             | VARCHAR (6)       | <p>This field indicates ethnicity; its source is ME025. Valid codes include:</p> <p>2182-4...Cuban<br/> 2184-0...Dominican<br/> 2148-5...Mexican, Mexican American, Chicano<br/> 2180-8...Puerto Rican<br/> 2161-8...Salvadoran<br/> 2155-0...Central American (not otherwise specified)<br/> 2165-9...South American (not otherwise specified)<br/> 2060-2...African<br/> 2058-6...African American<br/> AMERCN...American<br/> 2028-9...Asian<br/> 2029-7...Asian Indian<br/> BRAZIL...Brazilian<br/> 2033-9...Cambodian<br/> CVERDN...Cape Verdean<br/> CARIBI...Caribbean Island<br/> 2034-7...Chinese<br/> 2169-1...Columbian<br/> 2108-9...European<br/> 2036-2...Filipino<br/> 2157-6...Guatemalan<br/> 2071-9...Haitian<br/> 2158-4...Honduran<br/> 2039-6...Japanese<br/> 2040-4...Korean<br/> 2041-2...Laotian<br/> 2118-8...Middle Eastern<br/> PORTUG...Portuguese<br/> EASTEU...Eastern European<br/> 2047-9...Vietnamese<br/> OTHER...Other ethnicity<br/> UNKNOWN...Unknown/Not specified<br/> -1...Not specified (no ethnicity reported)<br/> -2...Not valid (invalid ethnicity code reported)</p> |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Ethnicity 2              | ME026                           | ETHNICITY2        | 16             | VARCHAR (6)       | This field indicates ethnicity; its source is ME026. Valid codes include:<br>2182-4...Cuban<br>2184-0...Dominican<br>2148-5...Mexican, Mexican American, Chicano<br>2180-8...Puerto Rican<br>2161-8...Salvadoran<br>2155-0...Central American (not otherwise specified)<br>2165-9...South American (not otherwise specified)<br>2060-2...African<br>2058-6...African American<br>AMERCN...American<br>2028-9...Asian<br>2029-7...Asian Indian<br>BRAZIL...Brazilian<br>2033-9...Cambodian<br>CVERDN...Cape Verdean<br>CARIBI...Caribbean Island<br>2034-7...Chinese<br>2169-1...Columbian<br>2108-9...European<br>2036-2...Filipino<br>2157-6...Guatemalan<br>2071-9...Haitian<br>2158-4...Honduran<br>2039-6...Japanese<br>2040-4...Korean<br>2041-2...Laotian<br>2118-8...Middle Eastern<br>PORTUG...Portuguese<br>EASTEU...Eastern European<br>2047-9...Vietnamese<br>OTHER...Other ethnicity<br>UNKNOW...Unknown/Not specified<br>-1...Not specified (no ethnicity reported)<br>-2...Not valid (invalid ethnicity code reported) |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member ZIP Code          | ME017                           | MEMBER_ZIP        | 17             | VARCHAR (11)      | This field contains the member's Zip Code and links to the <b>REF_GEOGRAPHY</b> table.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Coverage Level Code      | ME007                           | TIER              | 18             | VARCHAR (3)       | This field indicates the level of coverage as reported in ME007 and links to the coverage level codes reference data set using the Coverage Level Code. Although there are several code values for distinguishing between the various coverage levels, some payers do not maintain a high level of specificity in their records. Some payers are able to distinguish only between single coverage and family coverage. Summarizing data by coverage level across payers could overestimate the amount of family coverage. Valid codes include:<br>CHD...Children only<br>DEP...Dependents only<br>ECH...Employee and children<br>EMP...Employee only<br>ESP...Employee and spouse<br>FAM...Family<br>IND...Individual<br>SPC...Spouse and children<br>SPO...Spouse only<br>-1...Not specified (no coverage level reported)<br>-2...Not valid (invalid coverage level code reported) |

| TABLE NAME   | DATA ELEMENT COMMON NAME                    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|---|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Standardized Insurance Product Type         | ME003                           | PRODUCT_TYPE      | 19             | VARCHAR (3)       | This includes the Milliman standardized payer type values, including:<br>PPO...Commercial PPO<br>POS...Commercial POS<br>HMO...Commercial HMO<br>MDE...Medicaid Dual Eligible HMO<br>MD...Medicaid Disabled HMO<br>MLI...Medicaid Low Income HMO<br>MRB...Medicaid Restricted Benefit HMO<br>MR...Medicare Advantage HMO<br>MP...Medicare Advantage PPO<br>MC...Medicare Cost<br>MS...Medicare Supplement<br>SN1...Special Needs Plan – Chronic Condition<br>SN2...Special Needs Plan – Institutionalized<br>SN3...Special Needs Plan – Dual Eligible<br>CHP...Child Health Insurance Program<br>EPO...Exclusive Provider Organization<br>SF...Self-Funded<br>SL...Stop Loss<br>IND...Indemnity<br><br>This is referenced in the <b>REF_ELIGIBILITY_TYPE</b> file. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Standardized /Summarized?? Line of Business | N/A                             | LOB               | 20             | VARCHAR (10)      | These are standardized Lines of Business that are based upon the payer type information derived from ME003. These include:<br>1...COMMERCIAL<br>2...MEDICAID<br>3...MEDICARE   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Payer Code                                  | ME001                           | PARENT_PAYER_CODE | 21             | VARCHAR (8)       | This field is the Parent Payer Code of the data submitter company that links to the <b>REF_PAYER</b> file using the Parent_Payer_Code value. This code is used to identify the data reporter. It is based upon the Payer Code, and may be related to one or more specific Payer Codes.   |

| TABLE NAME   | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|---------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Standardized Product Code | N/A                             | INSURANCE_TYPE    | 22             | VARCHAR (2)       | This field contains the code identifying the member's type of insurance or insurance product and links to the <b><i>REF_ELIGIBILITY_INSURANCE_TYPE</i></b> . Its source is the Insurance Type / Product Code element ME003 reported by the payer. Valid codes include:<br>12...Medicare Secondary – Aged Beneficiary or Spouse with Employer Group Health Plan<br>13...Medicare Secondary – End-Stage Renal Disease Beneficiary<br>14...Medicare Secondary – No-Fault Insurance<br>15...Medicare Secondary – Workers' Compensation<br>16...Medicare Secondary – Public Health Service or Other Federal Agency<br>17...Dental<br>18...Vision<br>19...Prescription Drugs<br>41...Medicare Secondary – Black Lung<br>42...Medicare Secondary – Veterans Administration<br>43...Medicare Secondary – Disabled Beneficiary Under Age 65<br>47...Medicare Secondary – Other Liability Insurance is Primary<br>AP...Auto Insurance Policy<br>CI...Commercial<br>CO...Consolidated Omnibus Reconciliation Act (COBRA)<br>CP...Medicare Conditionally Primary<br>D...Disability<br>DB...Disability Benefits<br>E...Medicare – Point of Service (POS)<br>EP...Exclusive Provider Organization<br>FF...Family or Friends<br>FI...Federal Employees Health Benefits Program<br>HM...Health Maintenance Organization (HMO) |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|--|
|            |                          |                                 |                   |                |                   | HN...Health Maintenance Organization (HMO)<br>Medicare Risk<br>HS...Special Low-Income Medicare Beneficiary<br>IN...Indemnity<br>IP...Individual Policy<br>LC...Long-Term Care<br>LD...Long-Term Policy<br>LI...Life Insurance<br>LT...Litigation<br>MA...Medicare Part A<br>MB...Medicare Part B<br>MC...Medicaid<br>MD...Medicare Part D<br>MH...Medigap Part A<br>MI...Medigap Part B<br>MP...Medicare Primary<br>OT...Other<br>PE...Property Insurance - Personal<br>PR...Preferred Provider Organization (PPO)<br>PS...Point of Service (POS)<br>QM...Qualified Medicare Beneficiary<br>RP...Property Insurance - Real<br>SP...Medicare Supplemental Policy<br>TF...Tax Equity Fiscal Responsibility Act (TEFRA)<br>TR...Tricare<br>U...Multiple Options Health Plan<br>VA...Veterans Administration Plan<br>WC...Workers' Compensation<br>WU...Wrap Up Policy<br>-1...Not specified (no insurance type / product code reported)<br>-2...Not valid (invalid insurance type / product code reported) |

| TABLE NAME   | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|-----------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | City name of member         | ME015                           | MEMBER_CITY       | 23             | VARCHAR (30)      | This field contains the city name of the member. Its source is ME015.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | New Hampshire County Number |                                 | MEMBER_COUNTY     | 24             | VARCHAR (5)       | This field contains the member's county of residence if the member is a NH resident. Its source is the Member ZIP Code element and it links to the <b>REF_GEOGRAPHY</b> table. Valid codes include:<br>1...Belknap<br>3...Carroll<br>5...Cheshire<br>7...Coos<br>9...Grafton<br>11...Hillsborough<br>13...Merrimack<br>15...Rockingham<br>17...Strafford<br>19...Sullivan<br>999...Other (not New Hampshire)<br>-1...Not specified (no ZIP code reported)<br>-2...Not valid (invalid ZIP code reported): |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member State                | ME016                           | MEMBER_STATE      | 25             | VARCHAR (2)       | This field contains the member's State and links to the <b>REF_GEOGRAPHY</b> table.  |

| TABLE NAME   | DATA ELEMENT COMMON NAME      | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|-------------------------------|---|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag                      | See definitions for<br>UF_SECOND_INS = N<br>UF_PRI_INS = Y<br>UF_U65 = Y<br>UF_NH_RES = Y<br>UF_COMM_PROD = Y | USEFLAG           | 26             | VARCHAR (1)       | The USEFLAG is a composite flag that combines results from other Y/N fields. This flag is Y when all of the following conditions are met:<br>Use Flag Primary Eligibility Record(UF_PRIM_ELIG) = N<br>Use Flag Primary Eligibility Record(UF_PRIM_ELIG) = Y<br>Use Flag Patient Under Age 65 (UF_U65) = Y<br>Use Flag NH Resident (UF_NH_RES) = Y<br>Use Flag Commercial Product (UF_COMM_PROD) = Y<br>If any of the above conditions are not met, then the USEFLAG is set to N. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag Existing Eligibility | MC003, MC013, MC059, PC003, PC013, PC032, DC003, DC013, DC035   | UF_EXIST_ELIG     | 27             | VARCHAR (1)       | Y...A matching eligibility record for this patient was found in the enrollment table<br>N...A matching eligibility record for this patient was not found in the enrollment table<br><br>MC003, MC013, MC059, PC003, PC013, PC032, DC003, DC013, DC035 – These fields are used to match up records found in claims with those in enrollment.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag Commercial Product   | N/A   | UF_COMM_PROD      | 28             | VARCHAR (1)       | Comprehensive Commercial Product. The current logic is intended to flag records as a Y if they don't have evidence that they were paid as secondary, and also the member is enrolled in a commercial health plan offering.<br>Y...Insurance on this record represents a commercial product<br>N...Insurance on this record does not represent a commercial product   |

| TABLE NAME   | DATA ELEMENT COMMON NAME            | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|-------------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag Patient Under Age 65       | ME014, MC059, PC032, DC035      | UF_U65            | 29             | VARCHAR (1)       | Y...Patient was under age 65 on date of service<br>N...Patient was not under age 65 on date of service<br>MC059, PC032, DC035 – These fields are used to check the patient's age at date of service.                     |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag Primary Eligibility Record | ME028                           | UF_PRIM_ELIG      | 30             | VARCHAR (1)       | Y...Indicates the primary eligibility record for a patient<br>N...A non-primary eligibility record for a patient   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Use Flag NH Resident                | ME016                           | UF_NH_RES         | 31             | VARCHAR (1)       | Y...New Hampshire Resident<br>N...Not a New Hampshire Resident   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | National Plan ID                    | ME002                           | NPLAN             | 32             | VARCHAR (30)      | This field will contain the National Plan ID for the data reporter. This field is not populated. Note that the National Plan ID has not been established yet by CMS. For payer-specific identifiers, use the Payer Code. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Primary Insurance Indicator         | ME028                           | PRIMARY_INS       | 33             | VARCHAR (1)       | This field is the Primary Insurance Indicator; its source is ME028. Valid codes include:<br>Y...Yes, primary insurance<br>N...No, secondary or tertiary insurance  |

| TABLE NAME   | DATA ELEMENT COMMON NAME                     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|--|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Payer Code                                   | ME001                           | PAYERCODE         | 34             | VARCHAR (8)       | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company. This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Special Coverage / Health Protection Program | ME031                           | COV_SPECIAL       | 35             | VARCHAR (3)       | <p>This field is the Special Coverage code for enrollment. For enrollment through 2015, this field's common name was Special Coverage. From 2016 to current the field's common name is Health Protection Plan; for all enrollment years, the source is ME031.</p> <p>For enrollment through 2015, valid codes include:<br/> N or 0...Not applicable, member not enrolled in a special coverage plan<br/> Y or 1...Yes, member enrolled in a Health Protection Program</p> <p>For enrollment from 2016 to current, valid codes include:<br/> PAP...Premium Assistance Program<br/> HIPP...Health Insurance Premium Payment</p> <p>Applicable to all enrollment years:<br/> -1...Not specified (no special coverage reported)<br/> -2...Not valid (invalid special coverage code reported)</p> |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Coverage Type            | ME029                           | COV_TYPE          | 36             | VARCHAR (3)       | <p>This field indicates the type of coverage and is used to distinguish self-funded plans from commercially insured plans as reported in ME029. This field is the primary ID number for each coverage type record and links to the coverage type codes reference data set using the Coverage Type Key element. Valid codes include:</p> <p>ASW...For self-funded plans that are administered by a third party administrator, where the employer has purchased stop-loss, or group excess insurance coverage</p> <p>ASO...For self-funded plans that are administered by a third party administrator, where the employer has not purchased stop-loss, or group excess insurance coverage</p> <p>STN...For short-term non-renewable health insurance as defined pursuant to RSA 415:4 III</p> <p>UND...For plans underwritten by the carrier</p> <p>OTH...For any other plan. Carriers using this code shall obtain prior approval from the NH Insurance Department</p> <p>-1...Not specified (no coverage type reported)</p> <p>-2...Not valid (invalid coverage type code reported)</p> |

| TABLE NAME   | DATA ELEMENT COMMON NAME                  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|---|---------------------------------|-------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Market Category Code                      | ME030                           | MARKET_CAT        | 37             | VARCHAR (4)       | This field indicates the type of policy sold by the insurer; its source is ME030. Valid codes include:<br>IND...For policies sold and issued directly to individuals, other than those sold on a franchise basis, as defined pursuant to RSA 415:19, or a group conversion policies required pursuant to RSA 415:18 VII (a)<br>FCH...For policies sold and issued directly to individuals on a franchise basis as defined pursuant to RSA 415:19<br>GCV...For policies sold and issued directly to individuals as group conversion policies as defined pursuant to RSA 415:18 VII (a)<br>GS1...For policies sold and issued directly to employers having exactly one employee GS2...For policies sold and issued directly to employers having between 2 and 9 employees GS3...For policies sold and issued directly to employers having between 10 and 25 employees GS4...For policies sold and issued directly to employers having between 26 and 50 employees GLG1...For policies sold and issued directly to employers having between 51 and 99 employees GLG2...For policies sold and issued directly to employers having 100 or more employees<br>GSA...For policies sold and issued directly to small employers through a qualified association trust<br>OTH...For policies sold to other types of entities. Carriers using this market code shall obtain prior approval from the N.H. Insurance Department -<br>1...Not specified (no policy type reported)<br>-2...Not valid (invalid policy type code reported) |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,                       | Use Flag Claim Evidence of Secondary Ins. | ME028                           | UF_SECOND_INS     | 38             | VARCHAR (1)       | Y...Information on claim indicates it was paid by a secondary insurer<br>N...No evidence on claim that is was paid by a secondary insurer  |

| TABLE NAME   | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|----------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_PC_YYYY   |                                  |                                 |                   |                |                   |   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Insured Group or Policy Number   | ME006                           | GROUPID           | 39             | VARCHAR (50)      | This field contains the Insured Group or Policy Number associated with the entity that has purchased the insurance. For self-insured individuals, this relates to the purchaser. For the majority of eligibility and claims data, the group relates to the employer. Its source is ME006 and it is referenced by <b>REF_GROUP</b> |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Subscriber SSN (Encrypted)       | ME008                           | SUBSCRIBER_SSN    | 40             | VARCHAR (200)     | This field contains the encrypted Social Security number of the subscriber. If the Social Security number was not available from the payer, this field will be null and the CONTRACT field will be populated. This field has been encrypted using the same algorithm across all payers.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Plan-Specific Contract Number    | ME009                           | CONTRACTNO        | 41             | VARCHAR (128)     | This field contains the encrypted payer-assigned contract number for the subscriber. Its source is ME009.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member Suffix or Sequence Number | ME010                           | MEMSEQ            | 42             | VARCHAR (20)      | This field contains the payer-supplied code that uniquely identifies the member within the context of the subscriber's encrypted Social Security number or the Plan-Specific Contract Number element. Its source is ME010.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,                       | Medical Membership Month         | N/A                             | MEMBER_MONTH_KEY  | 43             | NUMERIC (22)      | This is the unique member month identification key for each member.   |

| TABLE NAME   | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME           | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|-----------------------------|---------------------------------|-----------------------------|----------------|-------------------|---|
| MEMBERSHIP_PC_YYYY   |                             |                                 |                             |                |                   |   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Unique Person Key           | N/A                             | PERSON_KEY                  | 44             | NUMERIC (10)      | This is the key that identifies a unique person within the data warehouse. This can be used to link a member between files, across time and payers.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | HIOS Plan ID                | ME204                           | HIOS_PLAN_ID                | 45             | VARCHAR (16)      | The 16 character HIOS Plan ID (Standard component). Including a five digit issuer ID, two character state ID, three digit product number, four digit standard component number and two digit variant component ID. This field may not be available for all market segments. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Plan Effective Date         | ME205                           | PLAN_EFFECTIVE_DATE         | 46             | VARCHAR (8)       | The date eligibility started for this member under this plan type. The purpose of this data element is to maintain an eligibility span for each member.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Exchange Indicator          | ME207                           | EXCHANGE_INDICATOR          | 47             | VARCHAR (1)       | The plan reported in ME204 was available on the Exchange Marketplace in the month and year reflected in ME004 and ME005.<br><br>Y...Yes<br>N...No   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | High Deductible Health Plan | ME208                           | HIGH_DEDUCTIBLE_HEALTH_PLAN | 48             | VARCHAR (1)       | The plan reported in ME204 meets the IRS definition of a HDHP.<br><br>Y...Yes<br>N...No<br>U...Unknown  |

| TABLE NAME   | DATA ELEMENT COMMON NAME              | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME     | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|---------------------------------------|---------------------------------|-----------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Monthly Premium or Premium Equivalent | ME211                           | ENR_MONTHLY_PREMIUM   | 49             | VARCHAR (50)      | Premium or Premium Equivalent is the dollar amount defined as “the funds collected from contracted accounts to provide for all claims and expenses associated with the administration of the employer’s benefit plan”. Required only for carriers and third party administrators with NH situs. Only populated from 2016 – 2020. |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Member Assigned PCP                   | ME203                           | MEMBER_ASSIGNED_PCP   | 50             | VARCHAR (20)      | National Provider ID of the member’s Primary Care Physician as designated by healthcare claims processor.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Minimum Value                         | ME206                           | ENR_MINIMUM_VALUE     | 51             | VARCHAR (3)       | The plan reported in ME204 has the Minimum Value as described in Part Ins4009.03 (i). This is reported as a percentage. This field may be left blank.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Active Enrollment                     | ME209                           | ENR_ACTIVE_ENROLLMENT | 52             | VARCHAR (1)       | The plan reported in ME204 was open for enrollment in the year and month reflected in ME004 and ME005.<br>Y...Yes<br>N...No  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | New Coverage                          | ME210                           | ENR_NEW_COVERAGE      | 53             | VARCHAR (1)       | The plan reported in ME204 was being offered for the first time in the reporting year reflected in ME004.<br>Y...Yes<br>N...No   |

| TABLE NAME   | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME        | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--|-----------------------------|---------------------------------|--------------------------|----------------|-------------------|--|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Plan State                  | ME900                           | ENR_PLAN_STATE           | 54             | VARCHAR (2)       | State in which the plan is sold or used. State codes are maintained by the US Postal Service.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Advanced Premium Tax Credit | ME901                           | ENR_ADV_PREM_TAX_CREDIT  | 55             | NUMERIC (5,2)     | Dollar value of Advanced Premium Tax Credit (APTC) subsidy. This would be populated if ME204 is populated. May be submitted at the subscriber level.   |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | NAIC Number                 | ME902                           | ENR_NAIC_NUMBER          | 56             | VARCHAR (5)       | Number that the National Association of Insurance Commissioners (NAIC) assigns to each company.  |
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Grandfather Plan Indicator  | ME903                           | ENR_GRANDFATHER_PLAN_IND | 57             | VARCHAR (1)       | Indicates if a plan qualifies as a “Grandfathered” or “Transitional Plan” under the Affordable Care Act (ACA). Please see definition for “grandfathered” and “transitional” in HHS rules 45-CFR-147.140: <a href="https://www.federalregister.gov/select-citation/2013/06/03/45-CFR147">https://www.federalregister.gov/select-citation/2013/06/03/45-CFR147</a> .<br>The values of the indicator are as follows:<br>1 = Grandfathered;<br>2 = Non-Grandfathered;<br>3 =Transitional;<br>4 = Not Applicable. |

| TABLE NAME   | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| MEMBERSHIP_DC_YYYY,<br>MEMBERSHIP_MC_YYYY,<br>MEMBERSHIP_PC_YYYY | Metal Value              | ME904                           | ENR_METAL_VALUE   | 58             | VARCHAR (1)       | The metal representation of the plan reported in ME204 on the Exchange Marketplace. |

## PROVIDER

| TABLE NAME      | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER          | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|---------------------------|--|-------------------|----------------|-------------------|---|
| PROVIDER_DETAIL | Unique Provider ID Number | MC024, MC076, PC018, DC018, DC042, MP003 | PROV_KEY          | 1              | NUMERIC (12)      | This field is the primary ID number for each Provider_Detail record and links to the Serv_Prov_Key and the Bill_Prov_Key in claim files. It is generated by MedInsight and is based upon the various 'provider' fields in the claims data: MC024 Service Provider Number, MC076 Billing Provider Number, DC018 Service Provider Number, DC042 Billing Provider Number, and PC018 Pharmacy Number. |
| PROVIDER_DETAIL | Provider Crosswalk Key    | N/A                                      | PROV_CW_KEY       | 2              | NUMERIC (20)      | This field contains the consistent, unique provider ID key across all data suppliers. It is generated by MedInsight based upon a matching criteria that looks at various provider fields such as name, NPI, TIN, DEA, address.  |

| TABLE NAME      | DATA ELEMENT COMMON NAME     | DATA ELEMENT NUMBER/ IDENTIFIER                 | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|------------------------------|---|-------------------|----------------|-------------------|--|
| PROVIDER_DETAIL | Service Provider Number      | MC024, MC076, PC018, DC018, DC042, MP003        | PROV_ID           | 3              | VARCHAR (100)     | This field is the provider number assigned by the payer in the various 'provider' fields in the claims data: MC024 Service Provider Number, MC076 Billing Provider Number, DC018 Service Provider Number, DC042 Billing Provider Number, and PC018 Pharmacy Number.  |
| PROVIDER_DETAIL | Provider Crosswalk ID        | N/A   | PROV_CW_ID        | 4              | VARCHAR (100)     | This field is the provider number assigned by the payer but crosswalked to other. It is chosen by MedInsight based upon a matching criteria that looks at various provider fields such as name, NPI, TIN, DEA, address.  |
| PROVIDER_DETAIL | National Provider ID Number  | MC026, MC077, PC021, PC047, DC020, DC043, MP016 | NPI               | 5              | VARCHAR (10)      | This field contains the National Provider ID Number used by CMS. Its source is MC026, MC077, PC021, PC047, DC020, DC043, and MP016.  |
| PROVIDER_DETAIL | Payer Code                   | MC001, PC001, DC001, MP001                      | PAYERCODE         | 6              | VARCHAR (8)       | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company (MC001, DC001, and PC001). This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element.                             |
| PROVIDER_DETAIL | Individual Practitioner Flag | MC027, DC021                                    | INDIVIDUAL        | 7              | VARCHAR (1)       | This field is used to indicate that this is the name of an individual provider or the name of a group or facility. This value is obtained by the National NPI provider reference if an NPI is available, or by the data submitter, as provided. If no valid code is available, this field is null. Valid codes include:<br>0...Group or facility<br>1...Individual |

| TABLE NAME      | DATA ELEMENT COMMON NAME                        | DATA ELEMENT NUMBER/ IDENTIFIER                 | DATA ELEMENT NAME          | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|---|---|----------------------------|----------------|-------------------|---|
| PROVIDER_DETAIL | Facility Name                                   | MC030   | FACILITY_NAME              | 8              | VARCHAR (255)     | This field contains the service provider's facility name if the provider has been identified as a nonperson entity. This field is derived from MC030 in the medical claims data and from the PROV_LNAME in the provider detail file. Note that if the provider is an individual practitioner, this field will be blank. |
| PROVIDER_DETAIL | Organization Name or Service Provider Last Name | MC030, MC078, PC020, PC046, DC024, DC044, MP008 | PROV_LNAME                 | 9              | VARCHAR (100)     | This field contains the last name of the provider/physician. If the provider is a facility, this field will be blank.   |
| PROVIDER_DETAIL | Service Provider First Name                     | MC028, PC044, DC022, MP006                      | PROV_FNAME                 | 10             | VARCHAR (25)      | This field contains the first name of the provider/physician. If the service provider is a facility, this field will be blank.  |
| PROVIDER_DETAIL | Service Provider Middle Name                    | MC029, PC045, DC023, MP007                      | PROV_MNAME                 | 11             | VARCHAR (25)      | This field contains the middle name of the provider/physician. If the provider is a facility, this field will be blank.   |
| PROVIDER_DETAIL | MedInsight Specialty Code                       | N/A   | PROV_SPEC                  | 12             | VARCHAR (10)      | This field is used to standardize the specialty coding of the provider records. It is based upon the service provider specialty code and/or the providers nationally identified specialty (based upon NPI information) This field links to the <b>REF_PROV_SPEC</b> data set's Milliman Specialty Code.                 |
| PROVIDER_DETAIL | MedInsight Specialty Description                | N/A   | PROV_SPEC_DESC             | 13             | VARCHAR (150)     | This field is the specialty description related to the standardized specialty coding of the provider records.   |
| PROVIDER_DETAIL | Crosswalk Provider Last Name or Facility Name   | N/A   | CW_PROV_LNAME_FACILITYNAME | 14             | VARCHAR (100)     | MedInsight Provider Last Name of Crosswalked Provider Record.   |

| TABLE NAME      | DATA ELEMENT COMMON NAME  | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|---|---------------------------------|-------------------|----------------|-------------------|---|
| PROVIDER_DETAIL | Crosswalk Provider First Name                                   | N/A                             | CW_PROV_FNAME     | 15             | VARCHAR (100)     | MedInsight Provider First Name of Crosswalked Provider Record.  |
| PROVIDER_DETAIL | Crosswalk Provider Middle Name                                  | N/A                             | CW_PROV_MNAME     | 16             | VARCHAR (100)     | MedInsight Provider Middle Name of Crosswalked Provider Record.   |
| PROVIDER_DETAIL | Crosswalk NPI   | N/A                             | CW_NPI            | 17             | VARCHAR (10)      | MedInsight NPI of Crosswalked Provider Record.  |
| PROVIDER_DETAIL | MedInsight Specialty Code of Crosswalked Provider Record        | N/A                             | CW_PROV_SPEC      | 18             | VARCHAR (10)      | This field is used to standardize the specialty coding of the provider records. It is based upon the service provider specialty code (MC032) and the linkage activity. This field links to the <b>REF_PROV_SPEC</b> data set's Milliman Specialty Code element.                                 |
| PROVIDER_DETAIL | MedInsight Specialty Description of Crosswalked Provider Record | N/A                             | CW_PROV_SPEC_DESC | 19             | VARCHAR (150)     | Description of the specialty that is associated with the crosswalked provider record.   |
| PROVIDER_DETAIL | Crosswalk Provider Taxonomy                                     | N/A                             | CW_TAXONOMY       | 20             | VARCHAR (10)      | MedInsight Taxonomy of Crosswalked Provider Record.   |
| PROVIDER_DETAIL | Service Provider Suffix   | MC031, DC025, MP009             | PROV_SUFFIX       | 21             | VARCHAR (10)      | This field contains the generational suffix for the individual. Its source is in the medica and dental claims data. When populated, this field often contains the generational identifier (e.g., JR, SR, III), the credentials (e.g., MD, DO, DC), or the suffix to the Provider Tax ID Number. |

| TABLE NAME      | DATA ELEMENT COMMON NAME                        | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|---|---------------------------------|-------------------|----------------|-------------------|--|
| PROVIDER_DETAIL | Service Provider Entity Type Qualifier          | MC027, DC021                    | PROV_TYPE         | 22             | VARCHAR (20)      | This field is used to distinguish an individual practitioner from a business entity. Its source is Provider Type from the National NPI reference or MC027 in the medical claims data when the NPI is not available. The valid values are PRAC, GROUP, PHARMACY, FACILITY, OTHER, or NULL.  |
| PROVIDER_DETAIL | Original Service Provider Entity Type Qualifier | MC027, DC021                    | PROV_TYPE_ORIG    | 23             | VARCHAR (2)       | This field is used to distinguish an individual practitioner from a business entity. Its source is MC027 in the medical claims data. Valid codes include:<br>1...Person<br>2...Non-person entity<br>-1...Not specified (no service provider entity type reported)<br>-2...Not valid (invalid service provider entity type code reported) |
| PROVIDER_DETAIL | Service Provider Tax ID Number                  | MC025, PC019, DC019, MP004      | PRVTAXID          | 24             | VARCHAR (100)     | This field contains the service provider's tax ID number (aka TIN). For an individual, this code is often the Social Security number. Its source is MC025 in the medical claims data.  |
| PROVIDER_DETAIL | Taxonomy Code                                   | MC026, DC020                    | TAXONOMY          | 25             | VARCHAR (100)     | This field is a CMS-defined Specialty Coding System value. This value is determined by cross referencing the carrier's specialty code to a Milliman specialty code, then cross-referencing to the TAXONOMY codes reference data set, which is freely available from the CMS.   |
| PROVIDER_DETAIL | Original Provider ID                            | MC024, PC018, DC018             | PROV_ID_ORIG      | 26             | VARCHAR (100)     | The original Provider ID value from the source data.   |
| PROVIDER_DETAIL | Service Provider Clinic Name                    | MC030, DC024                    | PROV_CLINIC_NAME  | 27             | VARCHAR (100)     | This field contains the name of the provider. Its source is MC030 in the medical claims data.  |

| TABLE NAME      | DATA ELEMENT COMMON NAME     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-----------------|------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| PROVIDER_DETAIL | Service Provider City        | MC033, PC022, DC027, MP012      | PROV_CLINIC_CITY  | 28             | VARCHAR (30)      | This field contains the city name of the provider (preferably their practice location). Its source is MC033 in the medical claims data. Note that although the provider location is requested, this field can be populated with the city name of the billing location.  |
| PROVIDER_DETAIL | Service Provider State       | MC034, PC023, DC028, MP013      | PROV_CLINIC_STATE | 29             | VARCHAR (2)       | This field contains the provider's state and uses the two-character state abbreviation as defined by the US Postal Service. Its source is MC034 in the medical claims file.   |
| PROVIDER_DETAIL | Service Provider ZIP Code    | MC035, PC024, DC029, MP014      | PROV_CLINIC_ZIP   | 30             | VARCHAR (11)      | This field contains the ZIP code of the provider's practice location. It may contain non-US codes. This field links to the GEOGRAPHY_DIM reference file using the ZIP Code element. Note that although the provider location is requested, this field can be populated with the ZIP code of the billing location.   |
| PROVIDER_DETAIL | Service Provider County Code | MC035, PC024, DC029             | NH_COUNTY_CODE    | 31             | VARCHAR (5)       | This field contains the county code of the service provider's location; its source is the Service Provider ZIP Code element (MC035) in the medical claims file. Valid codes include:<br>1...Belknap<br>3...Carroll<br>5...Cheshire<br>7...Coos<br>9...Grafton<br>11...Hillsborough<br>13...Merrimack<br>15...Rockingham<br>17...Strafford<br>19...Sullivan<br>999...Other (not New Hampshire)<br>-1...Not specified (no ZIP code reported)<br>-2...Not valid (invalid ZIP code reported): |

| TABLE NAME      | DATA ELEMENT COMMON NAME       | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME               | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-----------------|--------------------------------|---------------------------------|---------------------------------|----------------|-------------------|--|
| PROVIDER_DETAIL | Service Provider Country       | MC070                           | COUNTRY                         | 32             | VARCHAR (10)      | This field contains the country of the provider practice location. It is derived from MC070 in the medical claims data.                    |
| PROVIDER_DETAIL | DEA Number                     | MP015                           | PROV_DEA                        | 33             | VARCHAR (20)      | The Provider's Drug Enforcement Administration number.   |
| PROVIDER_DETAIL | Provider License               | MP017                           | PROV_LIC                        | 34             | VARCHAR (15)      | State license number. Prefix with standard two character State abbreviation.   |
| PROVIDER_DETAIL | Provider Entity                | MP005                           | PROVIDER_ENTITY                 | 35             | INT               | The value that defines the type of entity. This joins to the <b>REF_PROVIDER_ENTITY</b> table.   |
| PROVIDER_DETAIL | Provider Entity                | MP018                           | PROVIDER_ENTITYCODE             | 36             | VARCHAR (2)       | The value that defines the entity provider type. Required when MP005 does not = 1. This joins to the <b>REF_PROVIDER_ENTITYCODE</b> table. |
| PROVIDER_DETAIL | Plan ID                        | MP002                           | PLAN_ID                         | 37             | VARCHAR (30)      | CMS National Plan ID or NAIC code.   |
| PROVIDER_DETAIL | Provider Office Street Address | MP011                           | PROVIDER_OF FICE_STREET_ADDRESS | 38             | VARCHAR (50)      | Physical address – address where provider delivers health care services.   |

## REFERENCE TABLES

| TABLE NAME  | DATA ELEMENT COMMON NAME               | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME    | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-------------|--|---------------------------------|----------------------|----------------|-------------------|---|
| REF_ADM_SRC | Admission Source Code                  | MC021                           | ADM_SRC              | 1              | VARCHAR (2)       | This field is the primary identification key for each Admission Source record and links to the Admission Source element (MC021) in the medical claims file. This field is required for inpatient hospital claims. This field links to the admission source reference file <b>REF_ADM_SRC</b> . Valid codes include:<br><br>1...Physician Referral<br>2...Clinic Referral<br>3...HMO Referral<br>4...Transfer from Hospital<br>5...Transfer from a Skilled Nursing Facility<br>6...Transfer from another Health Care Facility<br>7...Emergency Room<br>8...Court/Law Enforcement<br>9...Unknown<br>A...Transfer from a Rural Primary Care Hospital |
| REF_ADM_SRC | Admission Source Description           | N/A                             | ADM_SRC_DESC         | 2              | VARCHAR (100)     | This field contains the description of the Admission Source Code.   |
| REF_ADM_SRC | Admission Source Description – Newborn | N/A                             | ADM_SRC_NEWBORN_DESC | 3              | VARCHAR (50)      | This field contains the description of the Admission Source element that is applicable to newborns.   |

| TABLE NAME               | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--------------------------|----------------------------|---------------------------------|---------------------|----------------|-------------------|--|
| REF_ADM_TYPE             | Admission Type             | MC020                           | ADM_TYPE            | 1              | NUMERIC (2)       | This field is used to record the type of admission for all inpatient hospital bills. Many data reporters do not capture this information. This field links to the admission type reference file <b>REF_ADM_TYPE</b> . Valid codes include:<br>1...Emergency<br>2...Urgent<br>3...Elective<br>4...Newborn<br>5...Trauma Center<br>9...Information Not Available                           |
| REF_ADM_TYPE             | Admission Type Description | N/A                             | ADM_TYPE_DESC       | 2              | VARCHAR (30)      | This field contains the description of the Admission Type Code.  |
| REF_CCHG                 | CCHG Category              | N/A                             | CCHG_CAT            | 1              | VARCHAR (4)       | Chronic Condition Hierarchical Groups Category organizes medical utilization and costs in a clinically relevant manner. Milliman's CCHGs assign patients to unique categories using a clinically relevant hierarchy that groups similar patients in the same group based on how doctors make treatment decisions. i.e. 101 - Major Psychoses, 114 - COPD, or 130 - Healthy Male (41-64). |
| REF_CCHG                 | CCHG Category Description  | N/A                             | CCHG_CAT_DESC       | 2              | VARCHAR (100)     | Chronic Condition Hierarchical Groups Description organizes medical utilization and costs in a clinically relevant manner. Milliman's CCHGs assign patients to unique categories using a clinically relevant hierarchy that groups similar patients in the same group based on how doctors make treatment decisions. i.e., Major Psychoses, COPD, or Healthy Male (41-64).               |
| REF_CLAIM_INSURANCE_TYPE | Insurance Type             | MC003, PC003, DC003             | INSURANCE_TYPE      | 1              | VARCHAR (2)       | Table 5 – Insurance Type/Product Code – Claims Files - Code column   |
| REF_CLAIM_INSURANCE_TYPE | Insurance Type Description | MC003, PC003, DC003             | INSURANCE_TYPE_DESC | 2              | VARCHAR (100)     | Table 5 – Insurance Type/Product Code – Claims Files – Description Column  |

| TABLE NAME               | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--------------------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_CLAIM_INSURANCE_TYPE | Medicare                 | N/A                             | MEDICARE          | 3              | VARCHAR (1)       | 1 if True, Blank if False.  |
| REF_CLAIM_INSURANCE_TYPE | Medicaid                 | N/A                             | MEDICAID          | 4              | VARCHAR (1)       | 1 if True, Blank if False.  |
| REF_CLAIM_INSURANCE_TYPE | Product Type             | N/A                             | PRODUCT_TYPE      | 5              | VARCHAR (3)       | Product Type is classification of the member's payer. They are:<br>PPO = Commercial Preferred Provider Organization,<br>POS = Commercial Point of Service,<br>HMO = Commercial Health Maintenance Organization,<br>MDE = Medicaid Dual Eligible Health Maintenance Organization,<br>MD = Medicaid Disabled Health Maintenance Organization,<br>MLI = Medicaid Low Income Health Maintenance Organization,<br>MRB = Medicaid Restricted Benefit Health Maintenance Organization,<br>MR = Medicare Advantage Health Maintenance Organization,<br>MP= Medicare Advantage Preferred Provider Organization,<br>MC = Medicare Cost,<br>MS = Medicare Supplement,<br>SN1 = Special Needs Plan - Chronic Condition,<br>SN2 = Special Needs Plan - Institutionalized,<br>SN3 = Special Needs Plan - Dual Eligible,<br>CHP = Child Health Insurance Program |

| TABLE NAME                           | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--------------------------------------|----------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_CLAIM_PROCESSING_LEVEL_INDICATOR | Claim Processing Level Indicator | MC218, PC214, DC218             | CODE              | 1              | INT               | 1...Claim Level<br>2...Service Line Level   |
| REF_CLAIM_PROCESSING_LEVEL_INDICATOR | Claim Processing Level Indicator | MC218, PC214, DC218             | DESCRIPTION       | 2              | VARCHAR (50)      |   |
| REF_CLAIM_STATUS                     | Claim Status Code                | MC038                           | CLAIM_STATUS_ORIG | 1              | VARCHAR (2)       | Based on MC038, this code describes the payment status of the specific service line record. This field links to the <b>REF_CLAIM_STATUS</b> table. Valid codes include:<br>01...Processed as primary<br>02...Processed as secondary<br>03...Processed as tertiary<br>04...Denied<br>19...Processed as primary, forwarded to additional payer(s)<br>20...Processed as secondary, forwarded to additional payer(s)<br>21...Processed as tertiary, forwarded to additional payer(s)<br>22...Reversal of previous payment<br>-1...Not specified (no claim status reported)<br>-2...Not valid (invalid claim status code reported) |
| REF_CLAIM_STATUS                     | Claim Status Description         | MC038                           | VALUE             | 2              | VARCHAR (50)      | Descriptions of Claim Status Code above.  |
| REF_COVERAGETYPE                     | Coverage Type Code               | ME029                           | COV_TYPE          | 1              | VARCHAR (3)       | This field is the primary identification key for each coverage type record and links to the Coverage Type element in the dental membership, medical membership, and pharmacy membership data.   |
| REF_COVERAGETYPE                     | Coverage Type Code Description   | N/A                             | COV_TYPE_DESC     | 2              | VARCHAR (25)      | This field contains the description of the Coverage Type Code.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|-------------|------------------------------|---------------------------------|---------------------|----------------|-------------------|---|
| REF_CPT     | CPT Code                     | MC055                           | PROC_CODE           | 1              | VARCHAR (10)      | This field contains the locally defined CPT Code and is used to link to the medical claims CPT field (MC055). This field may not be unique if it contains the value of a local CPT code assigned by a payer. This links to the <b>REF_CPT</b> file using the PROC_CODE. |
| REF_CPT     | CPT Code Class               | N/A                             | CPT_CUSTOM          | 2              | VARCHAR (1)       | This field has a value of PAYER SUPPLIED to indicate that the CPT Code is a locally defined code. This value is 0 if this is a standard code and 1 if it is a custom code   |
| REF_CPT     | CPT Code Description         | N/A                             | CPT_DESC            | 3              | VARCHAR (255)     | This field contains the description of the local CPT Code as provided by the payer.   |
| REF_CPT_MOD | CPT Modifier Key             | N/A                             | CPT_MOD             | 1              | VARCHAR (10)      | This field is the primary identification key for each CPT modifier record and links to the procedure modifier fields in the medical claims data sets (MC056, MC057).  |
| REF_CPT_MOD | CPT Modifier Key Description | N/A                             | CPT_MOD_DESC        | 2              | VARCHAR (280)     | This field contains the description of the CPT Modifier Key element.  |
| REF_DATE    | Dates                        | N/A                             | DATES               | 1              | VARCHAR (10)      | This field contains dates in YYYY-MM-DD format.   |
| REF_DATE    | Year                         | N/A                             | YEARS               | 2              | NUMERIC (4)       | This field contains the year in CCYY format.  |
| REF_DATE    | Month of Year                | N/A                             | MONTHS              | 3              | NUMERIC (2)       | This field contains the month as a number (MM) within a calendar year.  |
| REF_DATE    | Year & Month                 | N/A                             | YEAR_MO             | 4              | NUMERIC (6)       | This field contains the year and month in CCYYMM format (e.g., January 2006 = 200601).  |
| REF_DATE    | First Date of Month          | N/A                             | FIRST_DATE_IN_MONTH | 5              | DATE              | This field contains the first date of the month for the associated date.  |
| REF_DATE    | Day of Month                 | N/A                             | DAY_OF_MONTH        | 6              | DATE (10)         | This field contains the date for a specific day with a MM/DD/CCYY format. Please note that separator slashes are required in this element's format.   |

| TABLE NAME          | DATA ELEMENT COMMON NAME     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|---------------------|------------------------------|---------------------------------|-------------------|----------------|-------------------|--|
| REF_DATE            | Day of Week                  | N/A                             | DAY_OF_WEEK       | 7              | VARCHAR (9)       | This field contains the name of the day of the week.   |
| REF_DATE            | Quarter of Year              | N/A                             | QUARTER           | 8              | NUMERIC (1)       | This field contains a code for the quarter of the year. Valid codes include:<br>1...January through March<br>2...April through June<br>3...July through September<br>4...October through December                |
| REF_DENTAL_QUADRANT | Dental Quadrant Code         | DC205                           | CODE              | 1              | INT               | Standard quadrant identifier:<br>10 – maxillary (upper) right<br>20 – maxillary (upper) left<br>30 – mandibular (lower) left<br>40 – mandibular (lower) right  |
| REF_DENTAL_QUADRANT | Dental Quadrant Description  | DC205                           | DESCRIPTION       | 2              | VARCHAR (50)      |  |
| REF_DIS_STAT        | Discharge Status             | MC023                           | DIS_STAT          | 1              | NUMERIC (2)       | This field is the primary identification key for each inpatient discharge status record and links to the Discharge Status element (MC023) in the medical claims data. This does not apply to dental or pharmacy. |
| REF_DIS_STAT        | Discharge Status Description | N/A                             | DIS_STAT_DESC     | 2              | VARCHAR (75)      | This field contains the description of the Discharge Status code.  |
| REF_DRG             | DRG Code                     | N/A                             | DRG_CODE          | 1              | NUMERIC (3)       | This field contains the Diagnosis Related Group (DRG) Code.  |
| REF_DRG             | DRG Code Description         | N/A                             | DRG_DESC          | 2              | VARCHAR (100)     | This field is the description of the DRG Code as supplied with the DRG grouper software.   |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_DRG    | DRG Grouper Description  | N/A                             | DRG_TYPE          | 3              | VARCHAR (8)       | This field is the specific DRG Grouper Description that identifies the DRG weight table used to generate the DRG value and associated IDN value for the inpatient hospital stay identified in the DRG codes reference data set. |
| REF_DRG    | MDC Code                 | N/A                             | MDC_CODE          | 4              | VARCHAR (3)       | This is the Medical Diagnostic Category Code associated with the DRG.   |
| REF_DRG    | MDC Description          | N/A                             | MDC_DESC          | 5              | VARCHAR (100)     | This is the description of the Medical Diagnostic Category Code associated with the DRG.  |

| TABLE NAME                     | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--------------------------------|----------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_ELIGIBILITY_INSURANCE_TYPE | Standardized Insurance Type Code | ME003                           | INSURANCE_TYPE    | 1              | VARCHAR (2)       | <p>This field contains the code identifying the member's type of insurance or insurance product. Its source is the Insurance Type / Product Code element reported by the payer. Valid codes include:</p> <p>12...Medicare Secondary – Aged Beneficiary or Spouse with Employer Group Health Plan<br/> 13...Medicare Secondary – End-Stage Renal Disease Beneficiary<br/> 14...Medicare Secondary – No-Fault Insurance<br/> 15...Medicare Secondary – Workers' Compensation<br/> 16...Medicare Secondary – Public Health Service or Other Federal Agency<br/> 17...Dental<br/> 18...Vision<br/> 19...Prescription Drugs<br/> 41...Medicare Secondary – Black Lung<br/> 42...Medicare Secondary – Veterans Administration<br/> 43...Medicare Secondary – Disabled Beneficiary Under Age 65<br/> 47...Medicare Secondary – Other Liability Insurance is Primary<br/> AP...Auto Insurance Policy<br/> CI...Commercial<br/> CO...Consolidated Omnibus Reconciliation Act (COBRA)<br/> CP...Medicare Conditionally Primary<br/> D...Disability<br/> DB...Disability Benefits<br/> E...Medicare – Point of Service (POS)<br/> EP...Exclusive Provider Organization<br/> FF...Family or Friends<br/> FI...Federal Employees Health Benefits Program<br/> HM...Health Maintenance Organization (HMO)<br/> HN...Health Maintenance Organization (HMO)</p> |

| TABLE NAME                     | DATA ELEMENT COMMON NAME                | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME   | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--------------------------------|---|---------------------------------|---------------------|----------------|-------------------|--|
|                                |   |                                 |                     |                |                   | Medicare Risk<br>HS...Special Low-Income Medicare Beneficiary<br>IN...Indemnity<br>IP...Individual Policy<br>LC...Long-Term Care<br>LD...Long-Term Policy<br>LI...Life Insurance<br>LT...Litigation<br>MA...Medicare Part A<br>MB...Medicare Part B<br>MC...Medicaid<br>MD...Medicare Part D<br>MH...Medigap Part A<br>MI...Medigap Part B<br>MP...Medicare Primary<br>OT...Other<br>PE...Property Insurance - Personal<br>PR...Preferred Provider Organization (PPO)<br>PS...Point of Service (POS)<br>QM...Qualified Medicare Beneficiary<br>RP...Property Insurance - Real<br>SP...Medicare Supplemental Policy<br>TF...Tax Equity Fiscal Responsibility Act (TEFRA)<br>TR...Tricare<br>U...Multiple Options Health Plan<br>VA...Veterans Administration Plan<br>WC...Workers' Compensation<br>WU...Wrap Up Policy<br>-1...Not specified (no insurance type / product code reported)<br>-2...Not valid (invalid insurance type / product code reported) |
| REF_ELIGIBILITY_INSURANCE_TYPE | Standardized Insurance Type Description | ME003                           | INSURANCE_TYPE_DESC | 2              | VARCHAR (50)      | Descriptions of Insurance_Type above.  |

| TABLE NAME                     | DATA ELEMENT COMMON NAME            | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--------------------------------|-------------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_ELIGIBILITY_INSURANCE_TYPE | Medicare                            | N/A                             | MEDICARE          | 3              | VARCHAR (1)       | Set to 1 if Insurance Type is Medicare product.   |
| REF_ELIGIBILITY_INSURANCE_TYPE | Medicaid                            | N/A                             | MEDICAID          | 4              | VARCHAR (1)       | Set to 1 if Insurance Type is Medicaid product.   |
| REF_ELIGIBILITY_INSURANCE_TYPE | Standardized Insurance Product Type | N/A                             | PRODUCT_TYPE      | 5              | VARCHAR (3)       | This includes the Milliman standardized payer type values, including:<br>PPO...Commercial PPO<br>POS...Commercial POS<br>HMO...Commercial HMO<br>MDE...Medicaid Dual Eligible HMO<br>MD...Medicaid Disabled HMO<br>MLI...Medicaid Low Income HMO<br>MRB...Medicaid Restricted Benefit HMO<br>MR...Medicare Advantage HMO<br>MP...Medicare Advantage PPO<br>MC...Medicare Cost<br>MS...Medicare Supplement<br>SN1...Special Needs Plan - Chronic Condition<br>SN2...Special Needs Plan - Institutionalized<br>SN3...Special Needs Plan - Dual Eligible<br>CHP...Child Health Insurance Program<br>EPO...Exclusive Provider Organization<br>SF...Self-Funded<br>SL...Stop Loss<br>IND...Indemnity |
| REF_FORM_TYPE                  | Claim Type                          | MC899, MC054, PC899, DC899      | FORM_TYPE         | 1              | VARCHAR (1)       | This field identifies whether the claim is a UB (U), HCFA/CMS (H), Pharmacy (D) or Dental (A) type of claim.  |
| REF_FORM_TYPE                  | Claim Type Description              | N/A                             | FORM_TYPE_DESC    | 2              | VARCHAR (100)     | This field contains the description of the Claim Type code  |
| REF_GEOGRAPHY                  | City                                | N/A                             | CITY              | 1              | VARCHAR (100)     | This field identifies the city associated with the ZIP code.  |

| TABLE NAME    | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---------------|-----------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_GEOGRAPHY | Geographic Record ID Key    | N/A                             | ID                | 2              | NUMERIC (20)      | This field uniquely identifies a geographic record and links to data sets' ZIP Code ID (ZIPCODEID) fields.                                |
| REF_GEOGRAPHY | New Hampshire County Name   | ME017, MC016, PC016, DC016      | NH_COUNTY_NAME    | 3              | VARCHAR (100)     | This field contains the name of the New Hampshire county associated with the NH_COUNTY Code and/or value provided.                        |
| REF_GEOGRAPHY | New Hampshire County Number | N/A                             | NH_COUNTY         | 4              | NUMERIC (3)       | This field contains a number that represents a New Hampshire county.  |
| REF_GEOGRAPHY | New Hampshire HAA ID Number | N/A                             | NH_HAA            | 5              | VARCHAR (2)       | This field contains the 2006 New Hampshire Hospital Analysis Area (HAA) ID number.  |
| REF_GEOGRAPHY | New Hampshire HAA Name      | N/A                             | NH_HAA_NAME       | 6              | VARCHAR (100)     | This field contains the name of the New Hampshire HAA associated with the zip code provided.  |
| REF_GEOGRAPHY | State                       | ME017, MC016, PC016, DC016      | STATE             | 7              | VARCHAR (2)       | This field identifies the state that the ZIP code represents and uses the two-character abbreviation as defined by the US Postal Service. |
| REF_GEOGRAPHY | ZIP Code                    | ME017, MC016, PC016, DC016      | ZIP               | 8              | VARCHAR (11)      | This field is used to link to the first five positions of the data sets' ZIP Code (ZIPCODE) fields.                                       |
| REF_HCG       | HCG Case Key                | N/A                             | MR_LINE_CASE_KEY  | 1              | VARCHAR (4)       | This field contains Milliman HCG MR_LINE_KEY. This links to the MR_LINE_CASE_KEY in the service tables and claims files in the extracts.  |
| REF_HCG       | HCG Code Set Year           | N/A                             | CODE_SET_YEAR     | 2              | CHAR(4)           | This denotes which HCG version year was used to group the data into HCG categories.   |
| REF_HCG       | HCG Description             | N/A                             | MR_LINE_DESC2     | 3              | VARCHAR (50)      | This field contains the description for the Milliman HCG rollup code.   |
| REF_HCG       | HCG Detail Code             | N/A                             | MR_LINE           | 4              | VARCHAR (4)       | This field contains Milliman HCG code.  |
| REF_HCG       | HCG Detail Description      | N/A                             | MR_LINE_DESC      | 5              | VARCHAR (50)      | This field contains the description for the Milliman HCG code.  |
| REF_HCG       | HCG Related Product Type    | N/A                             | PROD_TYPE         | 6              | VARCHAR(20)       | This field contains the product type that is related to the HCG.  |

| TABLE NAME   | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER   | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|--------------|----------------------------|---|-------------------|----------------|-------------------|---|
| REF_HCG      | HCG Setting Code           | N/A   | MR_LINE_DE SC1    | 7              | VARCHAR (4)       | This field contains the HCG setting rollup code.  |
| REF_HCG      | HCG Description 2          | N/A   | HCG_DESC_02       | 8              | VARCHAR (50)      | This field contains the secondary description for the HCG setting rollup code. Available values are "1. Facility Inpatient," "2. Facility Outpatient," "3. Professional," "4. Prescription Drug," and "5. Ancillary."   |
| REF_ICD_DIAG | Diagnosis Code             | MC039, MC040, MC041, MC042, MC043, MC044, MC045, MC046, MC047, MC048, MC049, MC050, MC051, MC052, MC053 | ICD_DIAG          | 1              | VARCHAR (10)      | This field contains the Diagnosis Code and is used to link to the diagnosis fields (MC039, MC040, MC041, MC042, MC043, MC044, MC045, MC046, MC047, MC048, MC049, MC050, MC051, MC052, and MC053) in the medical claims file. This field may not be unique if it contains the value of a local Diagnosis Code assigned by a payer. |
| REF_ICD_DIAG | Diagnosis Code Description | N/A   | ICD_DIAG_DESC     | 2              | VARCHAR (100)     | This field contains the description of the Diagnosis Code associated with the claim as provided by the payer.   |
| REF_ICD_DIAG | ICD 10 or Higher Indicator | N/A   | ICD_10_OR_HIGHER  | 3              | INT               | Starting Oct. 1, 2015, CMS requires that Diagnosis and Procedures codes be submitted in ICD10 format. This column indicates that the correct ICD version is being used.<br>0...ICD9 Diagnosis and Procedure Codes exist in this claim line<br>1...ICD10 or higher Diagnosis   |

| TABLE NAME    | DATA ELEMENT COMMON NAME     | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---------------|------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_ICD_PROC  | ICD-CM Procedure Code        | MC054, MC055                    | ICD_PROC          | 1              | VARCHAR (10)      | This field is used to report the principal ICD-CM Procedure Code. The decimal point is not coded. This field generally is available only on inpatient hospital claims. It is not consistently reported by data reporters. This is one of three medical claims fields used to report type of service (see also Procedure Code (MC055) and Revenue Code (MC054)).   |
| REF_ICD_PROC  | ICD-CM Procedure Description | N/A                             | ICD_PROC_DESC     | 2              | VARCHAR (100)     | This is the description of the ICD Procedure Code.  |
| REF_ICD_PROC  | ICD 10 or Higher Indicator   | N/A                             | ICD_10_OR_HIGHER  | 3              | INT               | Starting Oct. 1, 2015, CMS requires that Diagnosis and Procedures codes be submitted in ICD10 format. This column indicates that the correct ICD version is being used.<br>0...ICD9 Diagnosis and Procedure Codes exist in this claim line<br>1...ICD10 or higher Diagnosis   |
| REF_MARKETCAT | Market Category Code         | ME030                           | MARKET_CAT        | 1              | VARCHAR (4)       | This field indicates the type of policy sold by the insurer; its source is ME030. Valid codes include:<br><br>IND...For policies sold and issued directly to individuals, other than those sold on a franchise basis, as defined pursuant to RSA 415:19, or a group conversion policies required pursuant to RSA 415:18 VII (a)<br><br>FCH...For policies sold and issued directly to individuals on a franchise basis as defined pursuant to RSA 415:19<br><br>GCV...For policies sold and issued directly to individuals as group conversation policies as defined pursuant to RSA 415:18 VII (a)<br><br>GS1...For policies sold and issued directly to employers having exactly one employee<br><br>GS2...For policies sold and issued directly to |

| TABLE NAME                | DATA ELEMENT COMMON NAME         | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|---------------------------|----------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|                           |                                  |                                 |                   |                |                   | <p>employers having between 2 and 9 employees</p> <p>GS3...For policies sold and issued directly to employers having between 10 and 25 employees</p> <p>GS4...For policies sold and issued directly to employers having between 26 and 50 employees</p> <p>GLG1...For policies sold and issued directly to employers having between 51 and 99 employees</p> <p>GLG2...For policies sold and issued directly to employers having 100 or more employees</p> <p>GSA...For policies sold and issued directly to small employers through a qualified association trust</p> <p>OTH...For policies sold to other types of entities. Carriers using this market code shall obtain prior approval from the N.H. insurance department</p> <p>-1...Not specified (no policy type reported)</p> <p>-2...Not valid (invalid policy type code reported)</p> |
| REF_MARKETCAT             | Market Category Code Description | N/A                             | MARKET_CAT_DESC   | 2              | VARCHAR (50)      | Descriptions of MARKET_CAT above.   |
| REF_NDC_THERAPEUTIC_CLASS | BRAND_STAT US                    | N/A                             | BRAND_STAT US     | 12             | VARCHAR (7)       | Indicates if drug is Generic, MSB, OTC, SSB or not Rx.  |
| REF_PAYER                 | Payer Code                       | N/A                             | PAYERCODE         | 1              | VARCHAR (8)       | This field is the Payer Code of the data submitter that supplied the specific file for the submitter company. This code will either match the Parent Payer Code, or will have a suffix value that differentiates different submitters. This links to the <b>REF_PAYER</b> file using the Payer Code element.  |

| TABLE NAME | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME     | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|-----------------------------------|---------------------------------|-----------------------|----------------|-------------------|--|
| REF_PAYER  | Parent Payer Code                 | N/A                             | PARENT_PAYER_CODE     | 2              | VARCHAR (8)       | This field is the Payer ID Number of the data submitter company that links to the <b>REF_PAYER</b> file using the Parent_Payer_Code value. This code is used to identify the data reporter. It is based upon MC001, PC001, or DC001. |
| REF_PAYER  | Payer Code Description            | N/A                             | PAYERCODE_DESCRIPTION | 3              | VARCHAR (100)     | This field contains the company name of the child payer or data reporter.  |
| REF_PAYER  | Company                           | N/A                             | COMPANY               | 4              | VARCHAR (100)     | This field contains the company name of the parent payer or data reporter.   |
| REF_PAYER  | FEIN                              | N/A                             | FEIN                  | 5              | VARCHAR (20)      | This is the FEIN code of the data submitter (from registration data).  |
| REF_PAYER  | NAIC                              | N/A                             | NAIC                  | 6              | VARCHAR (8)       | This is the NAIC or TPA Code of the data submitter (from registration data).   |
| REF_PAYER  | Company Address                   | N/A                             | COMPANY_ADDRESS       | 7              | VARCHAR (255)     | This field contains the street address portion of the payer's or data reporter's company address.  |
| REF_PAYER  | Company City                      | N/A                             | COMPANY_CITY          | 8              | VARCHAR (100)     | This field contains the city portion of the company address.   |
| REF_PAYER  | Company State                     | N/A                             | COMPANY_STATE         | 9              | VARCHAR (2)       | This field contains the state portion of the company address and uses the two-character state abbreviation as defined by the US Postal Service.  |
| REF_PAYER  | Company ZIP Code                  | N/A                             | COMPANY_ZIP           | 10             | VARCHAR (11)      | This field contains the ZIP code of the company address.   |
| REF_PAYER  | Member ID Construction Logic Code | N/A                             | MEMBER_ID_LOGIC       | 11             | VARCHAR (5)       | This field denotes the logic employed to construct a standardized Member ID for the submitter. The reference file for this code is supplied in <b>REF_PROCESSING_RULES</b> .   |

| TABLE NAME | DATA ELEMENT COMMON NAME    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME      | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|------------|-----------------------------|---------------------------------|------------------------|----------------|-------------------|--|
| REF_PAYER  | Claim Adjustment Logic Code | N/A                             | CLAIM_ADJUSTMENT_LOGIC | 12             | VARCHAR (5)       | This field denotes the claim adjustment logic that was performed for this data submitter to capture their final claim status. This is only applicable for medical claims files, and is based upon information received from the data submitter in their registration, but modified as necessary if the data requires a different type of logic. The reference file for this code is supplied in <b><i>REF_PROCESSING_RULES</i></b> . |
| REF_PAYER  | Medical Files Submitted     | N/A                             | MEDICAL                | 13             | CHAR (1)          | This is a Yes/No Field that specifies whether the data submitter supplies medical claims files   |
| REF_PAYER  | Pharmacy Files Submitted    | N/A                             | PHARMACY               | 14             | CHAR (1)          | This is a Yes/No Field that specifies whether the data submitter supplies pharmacy claims files  |
| REF_PAYER  | Dental Files Submitted      | N/A                             | DENTAL                 | 15             | CHAR(1)           | This is a Yes/No Field that specifies whether the data submitter supplies dental claims files.   |
| REF_PAYER  | Eligibility files Submitted | N/A                             | ELIGIBILITY            | 16             | CHAR(1)           | This is a Yes/No Field that specifies whether the data submitter supplies eligibility claims files.  |
| REF_PAYER  | First Data Submission       | N/A                             | FIRST_SUBMIT           | 17             | CHAR (4)          | This field provides the year (based upon paid date) of the first data submission.  |
| REF_PAYER  | Last Data Submission        | N/A                             | LAST_SUBMIT            | 18             | CHAR (4)          | This field provides the year (based upon paid date) of the most recent data submission.  |

| TABLE NAME | DATA ELEMENT COMMON NAME                                 | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--|---------------------------------|-------------------|----------------|-------------------|---|
| REF_POS    | Service Site (Professional) Code / Place of Service Code | MC037, DC030                    | POS               | 1              | VARCHAR (2)       | <p>This payer-supplied field, which is required for professional claims and is not be used for institutional claims, records the site where the service was performed. <u>Dental Claims are always 99</u>. This field links to the <b>REF_POS</b> file. Valid codes include:</p> <p>POS...POS_DESC<br/> 01...Pharmacy<br/> 03...School<br/> 04...Homeless Shelter<br/> 05...Indian Health Service – Free Standing Facility<br/> 06...Indian Health Service – Provider-Based Facility<br/> 07...Tribal 638 – Free Standing Facility<br/> 08...Tribal 638 – Provider-Based Facility<br/> 09...Prison – Correctional Facility<br/> 11...Office<br/> 12...Home<br/> 13...Assisted Living Facility<br/> 14...Group Home<br/> 15...Mobile Unit<br/> 16...Temporary Lodging<br/> 17...Walk-in Retail Health Clinic<br/> 18...Place of Employment/Worksite<br/> 20...Urgent Care Facility<br/> 21...Inpatient Hospital<br/> 22...Outpatient Hospital<br/> 23...Emergency Room – Hospital<br/> 24...Ambulatory Surgical Center<br/> 25...Birthing Center<br/> 26...Military Treatment Facility<br/> 31...Skilled Nursing Facility<br/> 32...Nursing Facility<br/> 33...Custodial Care Facility<br/> 34...Hospice<br/> 35...Adult Living Care Facilities (ALCF) – Unassigned as of 04/01/08</p> |

| TABLE NAME           | DATA ELEMENT COMMON NAME                                 | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|----------------------|--|---------------------------------|-------------------|----------------|-------------------|--|
|                      |  |                                 |                   |                |                   | 41...Ambulance – Land<br>42...Ambulance – Air or Water<br>49...Independent Clinic<br>50...Federally Qualified Health Centers<br>51...Inpatient Psychiatric Facility<br>52...Psychiatric Facility Partial Hospitalization<br>53...Community Mental Health Center<br>54...Intermediate Care Facility/Mentally Retarded<br>55...Residential Substance Abuse Treatment Facility<br>56...Psychiatric Residential Treatment Center<br>57...Non-Residential Substance Abuse Treatment Facility<br>60...Mass Immunizations Center (eff. 9/1/97)<br>61...Comprehensive Inpatient Rehabilitation Facility<br>62...Comprehensive Outpatient Rehabilitation Facility<br>65...End Stage Renal Disease Treatment Facility<br>71...State or Local Public Health Clinic<br>72...Rural Health Clinic<br>81...Independent Laboratory<br>99...Other Unlisted Facility |
| REF_POS              | Service Site (Professional) Code / Place of Service Code | N/A                             | POS_DESC          | 2              | VARCHAR (75)      | This field contains the description of the Service Site (Professional) Key element.  |
| REF_PROC_CODE_DENTAL | CDT Code   | DC032                           | PROC_CODE         | 1              | VARCHAR (20)      | This field contains the Current Dental Terminology (CDT) Code and links to the <b>REF_CDT</b> table using the PROC_CODE.   |
| REF_PROC_CODE_DENTAL | CDT Code Description                                     | N/A                             | PROC_CODE_DESC    | 2              | VARCHAR (200)     | This field contains the description of the Current Dental Terminology (CDT) Code.  |

| TABLE NAME           | DATA ELEMENT COMMON NAME                    | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|----------------------|---|---------------------------------|-------------------|----------------|-------------------|--|
| REF_PROC_CODE_DENTAL | CDT Code Class                              | N/A                             | CODE_CLASS        | 3              | VARCHAR (1)       | This field has a value of PAYER SUPPLIED to indicate that the CPT Code is a locally defined code. This value is 0 if this is a standard code and 1 if it is a custom code.   |
| REF_PROV_SPEC        | Service Provider Payer Code                 | N/A                             | PROV_SPEC_SOURCE  | 1              | VARCHAR (20)      | <p>This field contains the submitter code for the payer submitting the file as reported in and links to the payers reference file using the Payer Code element. The first two characters indicate the data collection state and the third character indicates the type of submitter:</p> <p>NHC...Commercial data reporter<br/> NHT...Third party administrator<br/> NHU...Unlicensed entity</p> <p>A single payer may have multiple data reporter codes because the payer is submitting from more than one system or from more than one location. All data reporter codes associated with a single payer will have the same first seven characters. A suffix in the eighth position may be used to distinguish the location and/or system variations. This field is primarily used for tracking compliance by payer. Rows that have 'Taxonomy' indicate the PROV_SPEC is an industry standard taxonomy and not a custom value from a payer.</p> |
| REF_PROV_SPEC        | Service Provider Specialty Code             | N/A                             | PROV_SPEC         | 2              | VARCHAR (50)      | This field contains the specialty code submitted by the payer.   |
| REF_PROV_SPEC        | Service Provider Specialty Code Description | N/A                             | PROV_SPEC_DESC    | 3              | VARCHAR (100)     | This field contains the description of the Service Provider Specialty Code as submitted by the payer.  |
| REF_PROV_TAXONOMY    | PROVIDER TAXONOMY CODE                      | MP010, MC027, MC032, DC026      | TAXONOMY_CODE     | 1              | VARCHAR (10)      | National Uniform Claims Committee (NUCC) health care provider taxonomy code assigned to this provider.   |

| TABLE NAME        | DATA ELEMENT COMMON NAME                               | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME       | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-------------------|--|---------------------------------|-------------------------|----------------|-------------------|--|
| REF_PROV_TAXONOMY | PROVIDER TYPE  |                                 | PROVIDER_TYPE           | 2              | VARCHAR (117)     |  |
| REF_PROV_TAXONOMY | PROVIDER CLASSIFICATION                                |                                 | CLASSIFICATION          | 3              | VARCHAR (139)     |  |
| REF_PROV_TAXONOMY | PROVIDER SPECIALIZATION                                |                                 | SPECIALIZATION          | 4              | VARCHAR (112)     |  |
| REF_PROV_TAXONOMY | MILLIMAN ASSIGNED PROVIDER SPECIALTY CODE              |                                 | MILLIMAN_SPECIALTY      | 5              | VARCHAR (2)       | A custom grouping of Providers based upon Taxonomy.  |
| REF_PROV_TAXONOMY | MILLIMAN ASSIGNED PROVIDER SPECIALTY DESCRIPTION       |                                 | MILLIMAN_SPECIALTY_DESC | 6              | VARCHAR (88)      |  |
| REF_RELATION      | Standardized Individual Relationship to Subscriber Key | MC011, PC011, DC011             | RELATION                | 1              | VARCHAR (10)      | This field contains the standardized relationship to the subscriber according to classifications made by Milliman. This field contains the Standardized value indicating the member's relationship to the subscriber or the insured and links to the <b>REF_RELATION</b> data set using the Standardized Individual Relationship to Subscriber Key element. Its source is the Individual Relationship Code element reported by the payer in the member eligibility data. |

| TABLE NAME   | DATA ELEMENT COMMON NAME   | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|--------------|--|---------------------------------|-------------------|----------------|-------------------|--|
| REF_RELATION | Standardized Individual Relationship to Subscriber Key Description | N/A                             | RELATION_DESC     | 2              | VARCHAR (255)     | This field contains the standardized relationship to the subscriber according to classifications made by Milliman. This field contains the Standardized value indicating the member's relationship to the subscriber or the insured and links to the <b>REF_RELATION</b> data set using the Standardized Individual Relationship to Subscriber Key element. Its source is the Individual Relationship Code element reported by the payer in the member eligibility data. |
| REF_REVCODE  | Revenue Code   | MC054                           | REV_CODE          | 1              | VARCHAR (4)       | The field contains the revenue code reported for hospital medical claims and links to the Revenue Code element (MC054) in the medical claims data. It is defined by the National Uniform Billing Committee. This field has been padded with leading zeroes if the submitted Revenue Code contained fewer than four digits.   |
| REF_REVCODE  | Revenue Code Description   | N/A                             | REV_DESC_MAJ      | 2              | VARCHAR (37)      | This field contains the description of the Revenue Center Code element.  |

| TABLE NAME  | DATA ELEMENT COMMON NAME        | DATA ELEMENT NUMBER/ IDENTIFIER  | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION  |
|-------------|---------------------------------|--|-------------------|----------------|-------------------|--|
| REF_RX_DAW  | Dispense as Written Code        | PC030  | RX_DAW            | 1              | VARCHAR (2)       | This field indicates the instructions given to the pharmacist for filling the prescription. This field links to the <b>REF_RX_DAW</b> reference file using the Dispense as Written Code. Valid codes include:<br>0...Not dispensed as written<br>1...Physician dispensed as written<br>2...Member dispensed as written<br>3...Pharmacy dispensed as written<br>4...No generic available<br>5...Brand dispensed as generic<br>6...Override<br>7...Substitution not allowed – Brand drug mandated by law<br>8...Substitution allowed – Generic drug not available in marketplace<br>9...Other<br>-1...Not specified (no dispense as written code reported)<br>-2...Not valid (invalid dispense as written code reported) |
| REF_RX_DAW  | Dispense as Written Description | N/A  | RX_DAW_DESC       | 2              | VARCHAR (75)      | This field contains the description of the Dispense as Written Key element.  |
| REF_SV_STAT | Claim Status Code               | MC063, MC065, MC066, MC067, PC036, PC040, PC041, PC042, DC038, DC039, DC040, DC041 | SV_STAT           | 1              | VARCHAR (10)      | Claim status codes reference data set includes standardized claim status code values. Valid codes include:<br>D...DENIED<br>E...ENCOUNTER<br>O...OPEN/PENDING<br>P...PAID<br>R...REVERSED<br>V...VOIDED  |
| REF_SV_STAT | Claim Status Code Description   | N/A  | SV_STAT_DESC      | 2              | VARCHAR (15)      | Claim status codes reference data set includes standardized claim status code descriptions.  |

| TABLE NAME       | DATA ELEMENT COMMON NAME          | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------------|-----------------------------------|---------------------------------|-------------------|----------------|-------------------|---|
| REF_TIER         | Coverage Level Code Description   | N/A                             | TIER_DESC         | 1              | VARCHAR (25)      | This field contains the description of the Tier (Coverage Level) Code.  |
| REF_TIER         | Coverage Level Key                | ME007                           | TIER              | 2              | VARCHAR (3)       | This field indicates the level of coverage as reported in ME007 and links to the coverage level codes reference data set using the Coverage Level Code. Although there are several code values for distinguishing between the various coverage levels, some payers do not maintain a high level of specificity in their records. Some payers are able to distinguish only between single coverage and family coverage. Summarizing data by coverage level across payers could overestimate the amount of family coverage. Valid codes include:<br>CHD...Children only<br>DEP...Dependents only<br>ECH...Employee and children<br>EMP...Employee only<br>ESP...Employee and spouse<br>FAM...Family<br>IND...Individual<br>SPC...Spouse and children<br>SPO...Spouse only<br>-1...Not specified (no coverage level reported)<br>-2...Not valid (invalid coverage level code reported) |
| REF_UB_BILL_TYPE | Type of Bill (Institutional) Code | MC036                           | UB_BILL_TYPE      | 1              | VARCHAR (3)       | This field contains the Type of Bill code as reported on a UB. This field links to the <b>REF_BILL_TYPE</b> reference table. Valid codes include:<br><b><u>First Digit (Type of Facility)</u></b><br>1...Hospital<br>2...Skilled Nursing<br>3...Home Health<br>4...Christian Science Hospital<br>5...Christian Science Extended Care<br>6...Intermediate Care<br>7...Clinic   |

| TABLE NAME | DATA ELEMENT COMMON NAME | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------|--------------------------|---------------------------------|-------------------|----------------|-------------------|---|
|            |                          |                                 |                   |                |                   | <p>8...Special Facility</p> <p><b><u>Second Digit if First Digit is 1 through 6 (Bill Classification)</u></b></p> <p>1...Inpatient (including Medicare Part A)</p> <p>2...Inpatient (including Medicare Part B Only)</p> <p>3...Outpatient</p> <p>4...Other (for hospital referenced diagnostic services or home health not under a plan of treatment)</p> <p>5...Nursing Facility Level I</p> <p>6...Nursing Facility Level II</p> <p>7...Intermediate Care – Level III Nursing Facility</p> <p>8...Swing Beds</p> <p><b><u>Second Digit if First Digit is 7 (Bill Classification)</u></b></p> <p>1...Rural Health</p> <p>2...Hospital Based or Independent Renal Dialysis Center</p> <p>3...Free Standing Outpatient Rehabilitation Facility (ORF)</p> <p>5...Comprehensive Outpatient Rehabilitation Facility (CORF)</p> <p>6...Community Mental Health Center</p> <p>9...Other</p> <p><b><u>Second Digit if First Digit is 8 (Bill Classification)</u></b></p> <p>1...Hospice, Non-hospital based</p> <p>2...Hospice, Hospital based</p> <p>3...Ambulatory Surgery Center</p> <p>4...Free Standing Birthing Center</p> <p>9...Other</p> <p><b><u>Third Digit (Frequency)</u></b></p> <p>0...Non-Payment/Zero</p> <p>1...Admit Through Discharge</p> <p>2...Interim – First Claim</p> <p>3...Interim – Continuing Claims</p> |

| TABLE NAME       | DATA ELEMENT COMMON NAME       | DATA ELEMENT NUMBER/ IDENTIFIER | DATA ELEMENT NAME      | FIELD POSITION | TYPE (Max Length) | DESCRIPTION   |
|------------------|--------------------------------|---------------------------------|------------------------|----------------|-------------------|---|
|                  |                                |                                 |                        |                |                   | 4...Interim – Last Claim<br>5...Late Charge Only<br>7...Replacement of Prior Claim<br>8...Void/Cancel of a Prior Claim<br>9...Final Claim for a Home Health PPS Episode |
| REF_UB_BILL_TYPE | Type of Bill Class Description | N/A                             | UB_BILL_BILLCLASS_DESC | 2              | VARCHAR (100)     | Included in the <b>REF_BILL_TYPE</b> reference table, this provides the bill classification.  |
| REF_UB_BILL_TYPE | Type of Bill Facility Type     | N/A                             | UB_BILL_FACTYPE_DESC   | 3              | VARCHAR (50)      | Included in the <b>REF_BILL_TYPE</b> reference table, this provides the type of facility related to the specified code.   |